

Product Catalogue

Diagnostic and Interventional Products



Table of Contents

TRADEMARKS	8	Multipurpose	62
CORONARY STENT FAMILY	9	Transradial / Brachial Technique	63
LUMENO™ Free Drug Coated Coronary Stent System	11	Bypass	64
LUMENO™ Alpha Drug-Eluting Coronary Stent System	12	ECOPAC™ FIVE PACS	66
LUMENO™ Chrome Coronary Stent System	13	STEERABLE GUIDEWIRES	67
BioFreedom™ Drug Coated Coronary Stent System	15	Light Support	69
BioMatrix Alpha™ Drug-Eluting Coronary Stent System	16	Moderate Support / Workhorse	71
BioMatrix NeoFlex™ Drug-Eluting Coronary Stent System	17	Heavy Support	74
Chroma™ Coronary Stent System	18	Highly Stenosed Lesion	75
BALLOONS	19	Accessories	76
Rapid Exchange System	20	EMBOLI PROTECTION DEVICE	77
EMPIRA® RX PTCA Pre-Dilatation Catheter	21	General Information	79
EMPIRA® NC RX PTCA Post-Dilatation Catheter	22	ANGIOGUARD® RX Emboli Capture Guidewire System	80
VASCULAR CLOSURE DEVICE	23	DIAGNOSTIC GUIDEWIRES	82
EXOSEAL® Vascular Closure Device	25	EMERALD™ Fixed-Core Guidewires	84
GUIDING CATHETERS - ADROIT™	27	EMERALD™ Fixed-Core Exchange Guidewires	86
ADROIT™ Guiding Catheter	28	EMERALD™ Movable-Core Guidewires	87
General Information	29	EMERALD™ Amplatz Guidewires	88
Left Coronary Judkins Technique	34	EMERALD™ Amplatz Super Stiff Guidewires	89
Right Coronary Judkins Technique	35	EMERALD™ Rosen Heavy Duty and Biopsy Forceps Guidewires	90
Left Coronary Extra Back-Up Shapes	36	AQUATRACK® Hydrophilic Coated Guidewires	91
Right Coronary Extra Back-Up Shapes	38	CATHETER SHEATH INTRODUCERS	92
Left Coronary Amplatz Technique	39	General Information	94
Right Coronary Amplatz Technique	40	AVANTI®+ Standard Sheath Introducer	96
Right Coronary Noto Technique	41	AVANTI®+ Mid-Length Sheath Introducer	97
Multipurpose	42	AVANTI®+ Valveless Portless Sheath Introducer	98
Transradial / Brachial Technique	43	AVANTI®+ Brachial Sheath Introducer	99
Bypass	44	AVANTI®+ Paediatric Sheath Introducer	100
ECO-PAC FIVE PACS	46	AVANTI®+ Transradial Sheath Introducer Kit	101
GUIDING CATHETERS - VISTA BRITE TIP® and Long BRITE TIP®	47	Dilators & Accessories	102
VISTA BRITE TIP® and Long BRITE TIP®	47		
General Information	47		
Left Coronary Judkins Technique	52		
Right Coronary Judkins Technique	54		
Left Coronary Extra Back-Up Shapes	56		
Right Coronary Extra Back-Up Shapes	58		
Left Coronary Amplatz Technique	59		
Right Coronary Amplatz Technique	60		
Right Coronary Noto Technique	61		

Table of Contents

DIAGNOSTIC CATHETERS	104
General Information	106
Left Coronary Techniques	110
Right Coronary Techniques	112
Multipurpose Technique	114
Radials / Brachials Technique	116
Bypass	119
Ventricular & Cardiac Catheters	120
Calibration Catheters	123
Diagnostic Multipacks	124
Diagnostic PRIMOPACS™	126
Diagnostic CORPACS®	127
Diagnostic Bi-Packs	130
BIOPSY FORCEPS	131
Disposable Biopsy Forceps	133
Long Sheaths	134
ACCESSORIES	135
High-Pressure Injector Lines	137
Extensions / Connectors / Inflation Systems	139
Control Syringes	140
Angiographic Needles	141
Manifolds	142

Alphabetical Index

Accessories	135	Guidewires (steerable)	67
Adaptors (Rotating)	137	Guiding Catheters	27
ADROIT™ Guiding Catheter	27	High Pressure Injector lines	137
Angiographic Needles	141	High Pressure Rotating Adaptors	137
ANGIOGUARD® RX Emboli Capture Guidewire System	80	Highflow™ 7F	106
AQUATRACK® (Hydrophilic Coated Guidewires)	91	INFINITI® 4F, 5F, 6F	106
ATW™	71	Inflation Systems	139
AVANTI®+ CSI	92	Injector Lines	137
Balloons	19	Introducer Sheaths	92
BioFreedom™ Drug Coated Coronary Stent System	15	LUMENO™ Free Drug Coated Coronary Stent System	11
BioMatrix Alpha™ Drug-Eluting Coronary Stent System	16	LUMENO™ Alpha Drug-Eluting Coronary Stent System	12
BioMatrix NeoFlex™ Drug-Eluting Coronary Stent System	17	LUMENO™ Chrome Coronary Stent System	13
Biopsy Forceps	131	Multipacks	124
Bi-pack (diagnostic catheters)	130	Needles	141
Capture Sheath (ANGIOGUARD® RX)	78	Obturator CSI	102
Catheter Extensions	139	PRIMOPACS™	126
Catheter Sheath Introducers	92	PTCA Balloons	120
Catheters (diagnostic)	104	QUICK CARE INFINITI® 4F	105
Catheters (guiding)	27	Radiolucent Wires	68
Chroma™ Coronary Stent System	18	Radiopaque Wires	68
Cinch® Extension Wire	67	Rapid Exchange PTCA Balloons	20
Control Syringes	140	REFLEX®	69
Coronary Catheters	110	Sheath Introducers	92
Coronary Stent Family	9	SHINOBI®	75
CORPACS®	127	SHINOBI® Plus	75
CSI	92	STABILIZER®	72
Delivery Sheath (ANGIOGUARD® RX)	78	STABILIZER® Plus	74
Diagnostic Catheters	104	Steerable Guidewires	67
Diagnostic Guidewires	82	SUPERTORQUE® Plus 5F, 6F	105
Dilators	92	Syringes	139
Distal Protection Device (ANGIOGUARD® RX)	78	Transradial Catheter Sheath Introducers	101
Emboli Protection Device	77	Vascular Closure Device	23
EMERALD™ Guidewire	84	VISTA BRITE TIP®	28
EMPIRA®	21	Long BRITE TIP®	28
EMPIRA NC®	22	WIZDOM™	70
EXOSEAL® Vascular Closure Device	25	Y-Connectors	139
Extensions (catheters)	139		
Filter Device	78		
Guidewires (diagnostic)	82		

Alphabetical Index

Trademarks

Cordis trademarks used in this catalogue are:

ADROIT™
ANGIOGUARD® RX
AQUATRACK®
(Hydrophilic Coated Guidewires)
Atraumatic Long BRITE TIP®
ATW™
ATW™ Marker Wire
AVANTI®+
BioFreedom™
BioMatrix Alpha™
BioMatrix NeoFlex™
BiPal™
BRITE TIP®
Chroma™
Cinch®
CORDIS®
CORPAC®
DURALYN® Flex
EXOSEAL®
EMERALD™
EMPIRA™

EMPIRA NC™
HIGHFLOW™
INFINITI®
LUMENO™ Free
LUMENO™ Alpha
LUMENO™ Chrome
MULTIPACK
PRIMOPAC™
QUICK CARE INFINITI®
Transradial Access Kit
REFLEX®
SHINOBI®
SHINOBI® Plus
SLX™
STABILIZER®
STABILIZER® Plus
SUPERTORQUE® Plus
TEMPO® AQUA®
Long BRITE TIP®
WIZDOM™

Coronary Stent Family

The LUMENO™ Free Drug-Coated Coronary Stent System, LUMENO™ Alpha Drug eluting Coronary Stent System and the LUMENO™ Chrome Coronary Stent System


Please contact your local sales representative for availabilities.

LUMENO™ Free -----	11
LUMENO™ Alpha -----	12
LUMENO™ Chrome -----	13

The BioFreedom™ Drug-Coated Coronary Stent System, BioMatrix Alpha™ Drug-Eluting Coronary Stent System, BioMatrix NeoFlex™ Drug-Eluting Coronary Stent System and the Chroma™ Coronary Stent System

Please contact your local sales representative for availabilities.

BioFreedom™ -----	15
BioMatrix Alpha™ -----	16
BioMatrix NeoFlex™ -----	17
Chroma™ -----	18



Coronary Stent Family

LUMENO™ Free*

A Polymer-free BA9™ drug-coated stent, safer and more effective than a Bare Metal Stent (BMS) in High Bleeding Risk (HBR) patients.

As a drug coated stent, LUMENO™ Free is designed to combine the benefits of a drug eluting stent and a bare metal stent:

- The Selectively Microstructured Surface (SMS) enables the delivery of the drug without polymer or carrier
- The highly lipophilic Biolimus A9 (BA9™) drug allows a rapid transfer from the SMS to the arterial wall and a sustained tissue release of the BA9™.

With the landmark LEADERS FREE trial, LUMENO™ Free (equivalent to BioFreedom™) demonstrated significantly safer and more effective outcomes than a BMS in HBR patients treated with a 1-month only DAPT course.

LUMENO™ Alpha†

A workhorse CoCr biodegradable polylactic acid polymer, BA9 drug eluting stent .

LUMENO™ Alpha combines :

- A unique Cobalt Chromium (CoCr) platform with large cell opening and a hybrid stent design for unmatched flexibility and longitudinal strength
- An distinctive pro-healing coating to cover the entire wound healing process with the PolyLactic Acid (PLA) biodegradable polymer and proven BA9™ drug

LUMENO™ Alpha is backed by a large body of clinical data, including the LEADERS all-comers study

LUMENO™ Chrome‡

A best in class Cobalt Chromium bare metal stent

LUMENO™ Chrome advanced CoCr platform is designed to perform across your cases requiring a BMS – from the most routine to the most complex:

- Large cell opening for easy side branch access and ability to cross with multiple devices
- Lowest tip entry profile for excellent deliverability
- Exceptional pushability

*LUMENO™ Free is equivalent to the Biosensors BioFreedom™ polymer- and carrier-free drug-coated stent system.

†LUMENO™ Alpha is equivalent to the Biosensors BioMatrix Alpha™ drug eluting coronary stent system.

‡LUMENO™ Chrome is equivalent to the Biosensors Chroma™ coronary stent system.

Garot et al. Two-year outcomes of High Bleeding Risk patients after polymer-free drug coated stents, JACC (2016). Doi : 10.1016/j.jacc.2016.10.009

Coronary Stent Family

LUMENO™ Free Drug-coated coronary stent system

- Guiding catheter compatibility: 5F (min ID 0,056")
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

		Stent Internal Diameter (mm) by stent platform									
		For stent lengths from 8 to 28 mm						For stent lengths of 33 and 36 mm			
Pressure (atm)	6 Nominal Pressure (NP)	2.25	2.50	2.75	3.00	3.50	4.00	2.50	2.75	3.00	3.50
	7	2.28	2.53	2.78	3.03	3.53	4.03	2.53	2.78	3.04	3.55
	8	2.31	2.56	2.81	3.06	3.56	4.06	2.56	2.81	3.08	3.60
	9	2.34	2.59	2.84	3.09	3.59	4.09	2.59	2.84	3.12	3.65
	10	2.37	2.62	2.87	3.12	3.62	4.12	2.62	2.87	3.16	3.70
	11	2.40	2.65	2.90	3.15	3.65	4.15	2.65	2.90	3.20	3.75
	12	2.43	2.68	2.93	3.18	3.68	4.18	2.68	2.93	3.24	3.80
	13	2.46	2.71	2.96	3.21	3.71	4.21	2.71	2.96	3.28	3.85
	14 Rated Burst Pressure (RBP)	2.49	2.74	2.99	3.24	3.74	4.24	2.74	2.99	3.32	3.90
	15	2.52	2.77	3.02	3.27			2.77	3.02	3.36	
16 Rated Burst Pressure (RBP)	2.55	2.80	3.05	3.30			2.80	3.05	3.40		

Do not exceed RBP for 14 and 16.

Stent Diameter (mm)	Stent Length (mm)							
	8	11	14	18	24	28	33	36
2.25	LUFR2208	LUFR2211	LUFR2214	LUFR2218	LUFR2224	LUFR2228		
2.50	LUFR2508	LUFR2511	LUFR2514	LUFR2518	LUFR2524	LUFR2528	LUFR2533	LUFR2536
2.75	LUFR2708	LUFR2711	LUFR2714	LUFR2718	LUFR2724	LUFR2728	LUFR2733	LUFR2736
3.00	LUFR3008	LUFR3011	LUFR3014	LUFR3018	LUFR3024	LUFR3028	LUFR3033	LUFR3036
3.50	LUFR3508	LUFR3511	LUFR3514	LUFR3518	LUFR3524	LUFR3528	LUFR3533	LUFR3536
4.00	LUFR4008	LUFR4011	LUFR4014	LUFR4018	LUFR4024	LUFR4028		

Coronary Stent Family

LUMENO™ Alpha Drug eluting coronary stent system

- Guiding catheter compatibility: 5F
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

Inflation Pressure (ATM)	Stent internal diameter (mm) by stent platform					
	For stent Lengths 9 to 29 mm					
	2.25	2.50	2.75	3.00	3.50	4.00
8 Nominal	2.25	2.50	2.75	3.00	3.50	4.00
9	2.28	2.54	2.79	3.05	3.56	4.07
10	2.31	2.58	2.83	3.10	3.62	4.14
11	2.34	2.62	2.87	3.15	3.68	4.21
12	2.37	2.66	2.91	3.20	3.74	4.28
13	2.40	2.70	2.95	3.25	3.80	4.35
14 RBP	2.43	2.74	2.99	3.30	3.86	4.42
15	2.46	2.78	3.03	3.35		
16 RBP	2.49	2.82	3.07	3.40		

Inflation Pressure (ATM)	Stent internal diameter (mm) by stent platform			
	For stent Lengths 33 and 36 mm			
	2.50	2.75	3.00	3.50
8 Nominal	2.50	2.75	3.00	3.50
9	2.56	2.83	3.08	3.59
10	2.62	2.91	3.16	3.67
11	2.68	2.98	3.23	3.75
12	2.74	3.04	3.29	3.83
13	2.80	3.09	3.35	3.91
14 RBP	2.85	3.14	3.40	3.98
15	2.90	3.19	3.45	
16 RBP	2.95	3.24	3.50	

Do not exceed RBP for 14 and 16.

Stent Diameter (mm)	Stent Length (mm)						
	9	14	19	24	29	33	36
2.25	LUAL2209	LUAL2214	LUAL2219	LUAL2224	LUAL2229		
2.50	LUAL2509	LUAL2514	LUAL2519	LUAL2524	LUAL2529	LUAL2533	LUAL2536
2.75	LUAL2709	LUAL2714	LUAL2719	LUAL2724	LUAL2729	LUAL2733	LUAL2736
3.00	LUAL3009	LUAL3014	LUAL3019	LUAL3024	LUAL3029	LUAL3033	LUAL3036
3.50	LUAL3509	LUAL3514	LUAL3519	LUAL3524	LUAL3529	LUAL3533	LUAL3536
4.00	LUAL4009	LUAL4014	LUAL4019	LUAL4024	LUAL4029		

Coronary Stent Family

LUMENO™ Chrome Coronary stent system

- Guiding catheter compatibility: 5F
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

Inflation Pressure (ATM)	For stent lengths 9 to 29 mm					
	2.25	2.50	2.75	3.00	3.50	4.00
8 Nominal	2.25	2.50	2.75	3.00	3.50	4.00
9	2.28	2.54	2.79	3.05	3.56	4.07
10	2.31	2.58	2.83	3.10	3.62	4.14
11	2.34	2.62	2.87	3.15	3.68	4.21
12	2.37	2.66	2.91	3.20	3.74	4.28
13	2.40	2.70	2.95	3.25	3.80	4.35
14 RBP	2.43	2.74	2.99	3.30	3.86	4.42
15	2.46	2.78	3.03	3.35		
16 RBP	2.49	2.82	3.07	3.40		

Inflation Pressure (ATM)	For stent lengths 33 to 36 mm				
	2.50	2.75	3.00	3.50	
8 Nominal	2.50	2.75	3.00	3.50	
9	2.56	2.83	3.08	3.59	
10	2.62	2.91	3.16	3.67	
11	2.68	2.98	3.23	3.75	
12	2.74	3.04	3.29	3.83	
13	2.80	3.09	3.35	3.91	
14 RBP	2.85	3.14	3.40	3.98	
15	2.90	3.19	3.45		
16 RBP	2.95	3.24	3.50		

Do not exceed RBP for 14 and 16.

Stent Diameter (mm)	Stent lengths (mm)						
	9	14	19	24	29	33	36
2.25	LUCR2209	LUCR2214	LUCR2219	LUCR2224	LUCR2229		
2.50	LUCR2509	LUCR2514	LUCR2529	LUCR2524	LUCR2529	LUCR2533	LUCR2536
2.75	LUCR2709	LUCR2714	LUCR2719	LUCR2724	LUCR2729	LUCR2733	LUCR2736
3.00	LUCR3009	LUCR3014	LUCR3019	LUCR3024	LUCR3029	LUCR3033	LUCR3036
3.50	LUCR3509	LUCR3514	LUCR3519	LUCR3524	LUCR3529	LUCR3533	LUCR3536
4.00	LUCR4009	LUCR4014	LUCR4019	LUCR4024	LUCR4029		

Coronary Stent Family

BioFreedom™

A Polymer-free BA9™ drug-coated stent, safer and more effective than a Bare Metal Stent (BMS) in High Bleeding Risk (HBR) patients.

As a drug coated stent, BioFreedom™ is designed to combine the benefits of a drug eluting stent and a bare metal stent

- The Selectively Microstructured Surface (SMS) enables the delivery of the drug without polymer or carrier
- The highly lipophilic Biolimus A9 (BA9™) drug allows a rapid transfer of the drug from the SMS to the arterial wall and a sustained tissue release of the BA9™.

In the landmark LEADERS FREE trial, BioFreedom™ demonstrated significantly safer and more effective outcomes than a BMS in HBR patients treated with a 1-month only DAPT course.

BioMatrix Alpha™

A workhorse CoCr biodegradable polylactic acid polymer, BA9 drug eluting stent.

BioMatrix Alpha™ combines:

- A unique Cobalt Chromium (CoCr) platform with large cell opening and a hybrid stent design for unmatched flexibility and longitudinal strength
- An distinctive pro-healing coating to cover the entire wound healing process with the PolyLactic Acid (PLA) biodegradable polymer and proven BA9™ drug

BioMatrix NeoFlex™

A stainless steel biodegradable polylactic acid polymer, BA9™ drug eluting stent.

BioMatrix NeoFlex™ combines a stainless steel platform and the same pro-healing coating as in BioMatrix Alpha™, with PLA biodegradable polymer and proven BA9™ drug. BioMatrix Family of stents are backed by a large body of clinical data, including the LEADERS all-comers study.

Chroma™

A best in class Cobalt Chromium bare metal stent.

Chroma™ advanced CoCr platform is designed to perform across your cases requiring a BMS – from the most routine to the most complex:

- Large cell opening for easy side branch access and ability to cross with multiple devices
- Lowest tip entry profile for excellent deliverability
- Exceptional pushability

Garot et al. Two-year outcomes of High Bleeding Risk patients after polymer-free drug coated stents, JACC (2016). Doi : 10.1016/j.jacc.2016.10.009

Coronary Stent Family

BioFreedom™ Drug-coated coronary stent system

- Guiding catheter compatibility: 5F (min ID 0,056")
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

		Stent Internal Diameter (mm) by stent platform									
		For stent lengths from 8 to 28 mm						For stent lengths of 33 and 36 mm			
Pressure (atm)	6 Nominal Pressure (NP)	2.25	2.50	2.75	3.00	3.50	4.00	2.50	2.75	3.00	3.50
	7	2.28	2.53	2.78	3.03	3.53	4.03	2.53	2.78	3.04	3.55
	8	2.31	2.56	2.81	3.06	3.56	4.06	2.56	2.81	3.08	3.60
	9	2.34	2.59	2.84	3.09	3.59	4.09	2.59	2.84	3.12	3.65
	10	2.37	2.62	2.87	3.12	3.62	4.12	2.62	2.87	3.16	3.70
	11	2.40	2.65	2.90	3.15	3.65	4.15	2.65	2.90	3.20	3.75
	12	2.43	2.68	2.93	3.18	3.68	4.18	2.68	2.93	3.24	3.80
	13	2.46	2.71	2.96	3.21	3.71	4.21	2.71	2.96	3.28	3.85
	14 Rated Burst Pressure (RBP)	2.49	2.74	2.99	3.24	3.74	4.24	2.74	2.99	3.32	3.90
	15	2.52	2.77	3.02	3.27			2.77	3.02	3.36	
16 Rated Burst Pressure (RBP)	2.55	2.80	3.05	3.30			2.80	3.05	3.40		

Do not exceed RBP for 14 and 16.

Stent Diameter (mm)	Stent Length (mm)							
	8	11	14	18	24	28	33	36
2.25	BFR1-2208	BFR1-2211	BFR1-2214	BFR1-2218	BFR1-2224	BFR1-2228		
2.50	BFR1-2508	BFR1-2511	BFR1-2514	BFR1-2518	BFR1-2524	BFR1-2528	BFR1-2533	BFR1-2536
2.75	BFR1-2708	BFR1-2711	BFR1-2714	BFR1-2718	BFR1-2724	BFR1-2728	BFR1-2733	BFR1-2736
3.00	BFR1-3008	BFR1-3011	BFR1-3014	BFR1-3018	BFR1-3024	BFR1-3028	BFR1-3033	BFR1-3036
3.50	BFR1-3508	BFR1-3511	BFR1-3514	BFR1-3518	BFR1-3524	BFR1-3528	BFR1-3533	BFR1-3536
4.00	BFR1-4008	BFR1-4011	BFR1-4014	BFR1-4018	BFR1-4024	BFR1-4028		

Coronary Stent Family

BioMatrix Alpha™ Drug eluting coronary stent system

- Guiding catheter compatibility: 5F
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

Inflation Pressure (ATM)	For stent Lengths 9 to 29 mm					
	2.25	2.50	2.75	3.00	3.50	4.00
8 Nominal	2.25	2.50	2.75	3.00	3.50	4.00
9	2.28	2.54	2.79	3.05	3.56	4.07
10	2.31	2.58	2.83	3.10	3.62	4.14
11	2.34	2.62	2.87	3.15	3.68	4.21
12	2.37	2.66	2.91	3.20	3.74	4.28
13	2.40	2.70	2.95	3.25	3.80	4.35
14 RBP	2.43	2.74	2.99	3.30	3.86	4.42
15	2.46	2.78	3.03	3.35		
16 RBP	2.49	2.82	3.07	3.40		

Inflation Pressure (ATM)	For stent Lengths 33 and 36 mm				
	2.50	2.75	3.00	3.50	
8 Nominal	2.50	2.75	3.00	3.50	
9	2.56	2.83	3.08	3.59	
10	2.62	2.91	3.16	3.67	
11	2.68	2.98	3.23	3.75	
12	2.74	3.04	3.29	3.83	
13	2.80	3.09	3.35	3.91	
14 RBP	2.85	3.14	3.40	3.98	
15	2.90	3.19	3.45		
16 RBP	2.95	3.24	3.50		

Do not exceed RBP for 14 and 16.

Stent Diameter (mm)	Stent Length (mm)						
	9	14	19	24	29	33	36
2.25	BMX6-2209	BMX6-2214	BMX6-2219	BMX6-2224	BMX6-2229		
2.50	BMX6-2509	BMX6-2514	BMX6-2519	BMX6-2524	BMX6-2529	BMX6-2533	BMX6-2536
2.75	BMX6-2709	BMX6-2714	BMX6-2719	BMX6-2724	BMX6-2729	BMX6-2733	BMX6-2736
3.00	BMX6-3009	BMX6-3014	BMX6-L3019	BMX6-3024	BMX6-3029	BMX6-3033	BMX6-3036
3.50	BMX6-3509	BMX6-3514	BMX6-L3519	BMX6-3524	BMX6-3529	BMX6-3533	BMX6-3536
4.00	BMX6-4009	BMX6-4014	BMX6-4019	BMX6-4024	BMX6-4029		

Coronary Stent Family

BioMatrix Neoflex™ Drug eluting coronary stent system

- Guiding catheter compatibility: 5F
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

	Stent Internal Diameter (mm) by stent platform									
	For stent lengths from 8 to 28 mm						For stent lengths of 33 and 36 mm			
6 Nominal Pressure	2.25	2.50	2.75	3.00	3.50	4.00	2.50	2.75	3.00	3.50
7	2.28	2.53	2.78	3.03	3.53	4.03	2.53	2.78	3.04	3.55
8	2.31	2.56	2.81	3.06	3.56	4.06	2.56	2.81	3.08	3.60
9	2.34	2.59	2.84	3.09	3.59	4.09	2.59	2.84	3.12	3.65
10	2.37	2.62	2.87	3.12	3.62	4.12	2.62	2.87	3.16	3.70
11	2.40	2.65	2.90	3.15	3.65	4.15	2.65	2.90	3.20	3.75
12	2.43	2.68	2.93	3.18	3.68	4.18	2.68	2.93	3.24	3.80
13	2.46	2.71	2.96	3.21	3.71	4.21	2.71	2.96	3.28	3.85
14 Rated Burst Pressure (RBP)	2.49	2.74	2.99	3.24	3.74	4.24	2.74	3.00	3.32	3.90
15	2.52	2.77	3.02	3.27			2.77	3.02	3.36	
Rated Burst Pressure (RBP)	2.55	2.80	3.05	3.30			2.80	3.05	3.40	

Do not exceed RBP for 14 and 16.

Stent Diameter (mm)	Stent lengths (mm)							
	8	11	14	18	24	28	33	36
2.25	BMPX-2208	BMPX-2211	BMPX-2214	BMPX-2218	BMPX-2224	BMPX-2228		
2.50	BMPX-2508	BMPX-2511	BMPX-2514	BMPX-2518	BMPX-2524	BMPX-2528	BMPX-2533	BMPX-2536
2.75	BMPX-2708	BMPX-2711	BMPX-2714	BMPX-2718	BMPX-2724	BMPX-2728	BMPX-2733	BMPX-2736
3.00	BMPX-3008	BMPX-3011	BMPX-3014	BMPX-3018	BMPX-3024	BMPX-3028	BMPX-3033	BMPX-3036
3.50	BMPX-3508	BMPX-3511	BMPX-3514	BMPX-3518	BMPX-3524	BMPX-3528	BMPX-3533	BMPX-3536
4.00	BMPX-4008	BMPX-4011	BMPX-4014	BMPX-4018	BMPX-4024	BMPX-4028		

Coronary Stent Family

Chroma™ Coronary stent system

- Guiding catheter compatibility: 5F
- Guide wire compatibility: 0,014"
- Usable shaft length: 142 +/- 3 cm

Compliance table:

Inflation Pressure (ATM)	Stent Internal Diameter (mm) by stent platform					
	For stent Lengths 9 to 29 mm					
	2.25	2.50	2.75	3.00	3.50	4.00
8 Nominal	2.25	2.50	2.75	3.00	3.50	4.00
9	2.28	2.54	2.79	3.05	3.56	4.07
10	2.31	2.58	2.83	3.10	3.62	4.14
11	2.34	2.62	2.87	3.15	3.68	4.21
12	2.37	2.66	2.91	3.20	3.74	4.28
13	2.40	2.70	2.95	3.25	3.80	4.35
14 RBP	2.43	2.74	2.99	3.30	3.86	4.42
15	2.46	2.78	3.03	3.35		
16 RBP	2.49	2.82	3.07	3.40		

Inflation Pressure (ATM)	Stent Internal Diameter (mm) by stent platform				
	For stent Lengths 33 and 36 mm				
	2.50	2.75	3.00	3.50	
8 Nominal	2.50	2.75	3.00	3.50	
9	2.56	2.83	3.08	3.59	
10	2.62	2.91	3.16	3.67	
11	2.68	2.98	3.23	3.75	
12	2.74	3.04	3.29	3.83	
13	2.80	3.09	3.35	3.91	
14 RBP	2.85	3.14	3.40	3.98	
15	2.90	3.19	3.45		
16 RBP	2.95	3.24	3.50		


Do not exceed RBP for 14 and 16.

Ordering Information

Stent Diameter (mm)	Stent lengths (mm)						
	9	14	19	24	29	33	36
2.25	BCR-2209	BCR-2214	BCR-2219	BCR-2224	BCR-2229		
2.50	BCR-2509	BCR-2514	BCR-2529	BCR-2524	BCR-2529	BCR-2533	BCR-2536
2.75	BCR-2709	BCR-2714	BCR-2719	BCR-2724	BCR-2729	BCR-2733	BCR-2736
3.00	BCR-3009	BCR-3014	BCR-3019	BCR-3024	BCR-3029	BCR-3033	BCR-3036
3.50	BCR-3509	BCR-3514	BCR-3519	BCR-3524	BCR-3529	BCR-3533	BCR-3536
4.00	BCR-4009	BCR-4014	BCR-4019	BCR-4024	BCR-4029		

Balloons

Rapid Exchange System	20
EMPIRA® RX PTCA Pre-Dilatation Catheter	21
EMPIRA® NC RX PTCA Post-Dilatation Catheter	22



Balloons

RAPID EXCHANGE PTCA BALLOONS

EMPIRA®

Simplify the Complex

EMPIRA® helps you reach and treat the lesion with improved crossability and recrossability.

- The Cordis EMPIRA® PTCA pre-dilatation balloon is a low-profile balloon for crossing even the most difficult lesions.
- Exceptional crossability and recrossability is achieved through the highly flexible DURALYN® Flex balloon material, the proprietary pleating and folding process, and also the lubricious as well as durable hydrophilic coating.
- EMPIRA® is versatile by bringing crossability and controlled growth to a wide range of lesions.

EMPIRA NC®

Control the Intervention


- Control the Intervention with EMPIRA® NC
- EMPIRA® NC balloon catheter: Designed to deliver in challenging interventions & post-dilatation procedures.
- The Cordis EMPIRA® NC PTCA post-dilatation balloon is a high-pressure balloon that combines exceptional crossability and recrossability with accuracy during post-dilatation.
- Exceptional crossability and recrossability is achieved through the highly flexible DURALYN® Flex balloon material, the proprietary pleating and folding process, and also the lubricious as well as durable hydrophilic coating.

Balloons


Rapid Exchange System

EMPIRA®* RX PTCA Pre-Dilatation Catheter

- Guidewire diameter: 0.014"
- Pressure: Nominal Pressure: 8 atm
- Rated burst pressure: 14 atm, 1/4 Size at 16 atm
- Usable length: 139 cm
- Units per Package: 1



- 1 Formed Soft Tip – Yellow
- 2 Balloon
- 3 Radiopaque Marker Bands
- 4 Adhesive Loctite 4041
- 5 Inner Member Tubing - Black
- 6 Outer Member Tubing - Natural .029"/.035" +/- .001"
- 7 Intermediate Shaft - Natural .029"/.035" +/- .001"
- 8 Hydrophilic Coating
- 9 Skived Proximal Shaft
- 10 Strain Relief - White
- 11 Molded Luer Hub
- 12 Ink - White



EMPIRA® RX Pre-Dilatation PTCA Catheter

BALLOON DIAMETER (mm)	BALLOON LENGTH (mm)					
	6	10	12	15	20	30
1.50	85R06150S	85R10150S	85R12150S	85R15150S	85R20150S	
2.00	85R06200S	85R10200S	85R12200S	85R15200S	85R20200S	85R30200S
2.25		85R10225S	85R12225S	85R15225S	85R20225S	
2.50	85R06250S	85R10250S	85R12250S	85R15250S	85R20250S	85R30250S
2.75		85R10275S	85R12275S	85R15275S	85R20275S	
3.00	85R06300S	85R10300S	85R12300S	85R15300S	85R20300S	85R30300S
3.25		85R10325S	85R12325S	85R15325S	85R20325S	
3.50		85R10350S	85R12350S	85R15350S	85R20350S	85R30350S
4.00		85R10400S	85R12400S	85R15400S	85R20400S	


* Contact your local sales representative for availabilities.

Balloons

Rapid Exchange System

EMPIRA® NC* RX PTCA Post-Dilatation Catheter

- Guidewire diameter: 0.014"
- Pressure: Nominal Pressure: 14 atm
- Rated burst pressure: 20 atm, 1/4 Size at 26 atm
- Usable length: 139 cm
- Units per Package: 1



- 1 Formed Soft Tip – Yellow
- 2 Balloon
- 3 Radiopaque Marker Bands
- 4 Adhesive Loctite 4041
- 5 Inner Member Tubing - Black
- 6 Outer Member Tubing - Natural .029"/.035" +/- .001"
- 7 Intermediate Shaft - Natural .029"/.035" +/- .001"
- 8 Hydrophilic Coating
- 9 Skived Proximal Shaft
- 10 Strain Relief - White
- 11 Molded Luer Hub
- 12 Ink - White

EMPIRA® NC RX Post-Dilatation PTCA Catheter

BALLOON DIAMETER (mm)	BALLOON LENGTH (mm)						
	6	10	12	15	20	25	30
2.00	75R06200N	75R10200N	75R12200N	75R15200N	75R20200N		
2.25		75R10225N	75R12225N	75R15225N	75R20225N		
2.50	75R06250N	75R10250N	75R12250N	75R15250N	75R20250N	75R25250N	75R30250N
2.75		75R10275N	75R12275N	75R15275N	75R20275N		
3.00	75R06300N	75R10300N	75R12300N	75R15300N	75R20300N	75R25300N	75R30300N
3.25		75R10325N	75R12325N	75R15325N	75R20325N		
3.50	75R06350N	75R10350N	75R12350N	75R15350N	75R20350N	75R25350N	75R30350N
3.75		75R10375N	75R12375N	75R15375N	75R20375N		
4.00		75R10400N	75R12400N	75R15400N	75R20400N		

* Contact your local sales representative for availabilities.

Vascular Closure Device

General Information ----- 25



Vascular Closure Device

Vascular Closure Device

General Information


EXOSEAL® Vascular Closure Device

The EXOSEAL® Vascular Closure Device is a sterile, single use device consisting of a Poly Glycolic Acid (PGA) Plug in combination with a Delivery Device. The Plug is fully enclosed within the Delivery Shaft. Running the length of the Delivery Shaft is an Indicator Wire that provides a means of positioning the Plug, relative to the vessel wall. When the Plug is in the correct position the Delivery Shaft is retracted, depositing the Plug on top of the arteriotomy site.

Combining a unique combination of safety and ease-of-use, the Cordis EXOSEAL® Vascular Closure Device means a more confident close and improved patient outcomes.

- Easy-to-Use Functionality
- Safe* Bioabsorbable Technology
- Precise Extravascular Closure
- Excellent Clinical Results

*Clinical data from the 'ECLIPSE Trial' indicates safety in terms of vascular injury, access site-related bleeding, infection or nerve injury, new ipsilateral lower extremity ischemia or SAE.



- 1 Indicator Wire
- 2 Plug
- 3 Bleed-back Port
- 4 Delivery Shaft
- 5 Marker Band
- 6 Indicator Wire Cowling
- 7 Sheath Adapter
- 8 Bleed-back Indicator
- 9 Indicator Window
- 10 Plug Deployment Button
- 11 Handle Assembly

CSI's FRENCH SIZE	CATALOGUE NUMBER	DESCRIPTION
5F	EX500CE	EXOSEAL® - to be used with a 5 F sheath introducer up to 12 cm
6F	EX600CE	EXOSEAL® - to be used with a 6 F sheath introducer up to 12 cm
7F	EX700CE	EXOSEAL® - to be used with a 7 F sheath introducer up to 12 cm

Vascular Closure Device

Guiding Catheters

GUIDING CATHETERS - ADROIT™	27
ADROIT™ Guiding Catheter	28
General Information	29
Left Coronary Judkins Technique	34
Right Coronary Judkins Technique	35
Left Coronary Extra Back-Up Shapes	36
Right Coronary Extra Back-Up Shapes	38
Left Coronary Amplatz Technique	39
Right Coronary Amplatz Technique	40
Right Coronary Noto Technique	41
Multipurpose	42
Transradial / Brachial Technique	43
Bypass	44
ECO-PAC FIVE PACS	46
GUIDING CATHETERS - VISTA BRITE TIP® and Long BRITE TIP®	47
VISTA BRITE TIP® and Long BRITE TIP®	47
General Information	47
Left Coronary Judkins Technique	52
Right Coronary Judkins Technique	54
Left Coronary Extra Back-Up Shapes	56
Right Coronary Extra Back-Up Shapes	58
Left Coronary Amplatz Technique	59
Right Coronary Amplatz Technique	60
Right Coronary Noto Technique	61
Multipurpose	62
Transradial / Brachial Technique	63
Bypass	64
ECO-PAC FIVE PACS	66



Guiding Catheters

ADROIT™

The ADROIT™ Guiding Catheter 6F, with a large .072" inner diameter (ID), is designed to give you more space to maneuver, with optimal back-up support. The result: more options for treating a wide range of cases. The ADROIT™ Guiding Catheter 5F is also available with a .058" inner diameter (ID).

- .072" ID to improve device compatibility and provide better visualization†
- Easier to perform kissing balloon technique
- Innovative hybrid braided wire technology enables larger lumen with optimal back-up support
- PTFE lining provides lubricious lumen for smoother delivery
- TRUELUMEN® Technology ensures consistent ID from hub to tip, for added confidence
- 5F to 6F platform
- Transradial shapes
- Extra Back-up shapes
- Long Brite Tip shapes

VISTA BRITE TIP®

The VISTA BRITE TIP® catheter range is a complete system of large lumen guiding catheters that are optimised to answer clinical needs. The performance-based design of each catheter easily meets strength, control and delivery requirements in the widest range of anatomies, while guaranteeing both safety and comfort.

The Multisegment Technology and hybrid braiding provides large inner diameters and excellent deliverability. The complete choice of shapes ensure excellent clinical performance.

- TRUELUMEN® Technology ensures consistent ID from hub to tip, for added confidence
- PTFE lining provides lubricious lumen for smoother delivery
- 5F to 9F platform
- Transradial shapes
- Extra Back-up shapes
- Long Brite Tip shapes

Long BRITE TIP®

- Available in 6F .070" and .072" & 5F .056"
- Safe active back up support through deep seating
- Atraumatic ostial coaxial alignment by the excellent tip conformability
- Superior tip visibility
- Atraumatic Long BRITE TIP
- Labeled as "LBT" in the tables of the order numbers



1 16 mm ultra soft long BRITE TIP

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.


† Cordis ADROIT™ Guiding Catheter 5F ID=.058".

Guiding Catheters

General Information - ADROIT™

ADROIT™ Guiding Catheter

- 1 PTFE inner lining
- 2 .072" (6F) and .058" (5F) Inner Lumen
- 3 Hybrid Braiding



- 1 Hub
- 2 PTFE lined inner lumen
- 3 Stainless steel, wire-braided body for responsive torque
- 4 Flexible transition section
- 5 Catheter French size, internal diameter (inches) and tip shape are printed on the strain relief
- 6 Nylon top coat
- 7 Soft, radiopaque tip for atraumatic vessel cannulation



6F .072" GC

Length:

- Guide OD: 6F
- Guide ID: 0.072"
- Braiding: Stainless Steel
- Liner: PTFE (Polytetrafluoroethylene)
- Outer Coat: Blue
- Tip Color: Yellow
- Tip Length: 5mm and 16mm



5F .058" GC

Length:

- Guide OD: 5F
- Guide ID: 0.058"
- Braiding: Stainless Steel
- Liner: PTFE (Polytetrafluoroethylene)
- Outer Coat: Blue
- Tip Color: Yellow
- Tip Length: 5mm

Guiding Catheters

General Information - ADROIT™

1 unit per package

ADROIT™

JUDKINS LEFT



JL 3 JL 3.5 JL 4 JL 4.5 JL 5 JL 6

JUDKINS RIGHT



JR 3.5 JR 4 JR 5

JUDKINS CURVED LEFT



JCL 3.5 JCL 4

JUDKINS CURVED RIGHT




JCR 4

Guiding Catheters

General Information - ADROIT™

EXTRA BACK-UP




XB 2 XB 3 XB 3.5 XB 4 XB 4.5

EXTRA BACK-UP RCA



XBRCA

EXTRA BACK-UP CONTRALATERAL




XBC 3 XBC 3.5 XBC 4 XBC 4.5

EXTRA BACK-UP RIGHT



XBR 1 XBR 2

EXTRA BACK-UP LAD



XBLAD 3 XBLAD 3.5 XBLAD 4 XBLAD 4.5

Guiding Catheters

General Information - ADROIT™

AMPLATZ LEFT



AL .75 AL 1 AL 1.5 AL 2 AL 3

NOTO TECHNIQUE



NR 4

AMPLATZ RIGHT



AR 1 AR 2

HOCKEY STICK



H-STICK

3-DIMENSIONAL RIGHT CORONARY - WILLIAMS TECHNIQUE



3 DRC

MULTIPURPOSE



MPA 1 MPB 1

Guiding Catheters

General Information - ADROIT™

DEDICATED RADIAL SHAPES

JEAN FAJADET LEFT



JFL

JEAN FAJADET RIGHT



JFR

RADIAL-BACHIAL



RB

BARBEAU



BARBEAU

RADIAL BI-LATERAL



RBL 5.0

SHAPES FOR CORONARY BYPASS :

LEFT



LCB

RIGHT



RCB

INTERNAL MAMMARY



IM

RENAL CURVE



RDC

Guiding Catheters

Left Coronary Judkins Technique - ADROIT™



All catheters 100 cm except when noted

JUDKINS LEFT

			6F	5F
	JL 3	Judkins Left 3	672-000-00	558-000-00
	JL 3.5	Judkins Left 3.5	672-002-00	558-002-00
	JL 3.5 ST	Judkins Left 3.5, short tip	672-012-00	
	JL 3.5 SH	Judkins Left 3.5, 2 side holes	672-003-00	
	JL 4 (90 cm)	Judkins Left 4	672-004-90	
	JL 4	Judkins Left 4	672-004-00	558-004-00
	JL 4 ST	Judkins Left 4, short tip	672-014-00	
	JL 4 SH	Judkins Left 4, 2 side holes	672-005-00	
	JL 4 (125 cm)	Judkins Left 4	672-040-25	
	JL 4.5	Judkins Left 4.5	672-006-00	558-006-00
	JL 4.5 ST	Judkins Left 4.5, short tip	672-016-00	
	JL 5	Judkins Left 5	672-008-00	558-008-00
	JL 6	Judkins Left 6	672-010-00	



JUDKINS CURVED LEFT

			6F	5F
	JCL 3.5	Judkins Curved Left 3.5	672-026-00	558-026-00
	JCL 3.5 SH	Judkins Curved Left 3.5, 2 side holes	672-027-00	
	JCL 4	Judkins Curved Left 4	672-028-00	



SH: Side Holes
ST: Short Tip

Guiding Catheters

Right Coronary Judkins Technique - ADROIT™



JUDKINS RIGHT

			6F	5F
	JR 3.5	Judkins Right 3.5	672-080-00	558-080-00
	JR 3.5 SH	Judkins Right 3.5, 2 side holes	672-081-00	
	JR 4 (90 cm)	Judkins Right 4	672-082-90	
	JR 4	Judkins Right 4	672-082-00	558-082-00
	JR 4 ST	Judkins Right 4 short tip	672-090-00	
	JR 4 SH	Judkins Right 4, 2 side holes	672-083-00	
	JR4 (125 cm)	Judkins Right 4	672-082-25	
	JR4 LBT	Judkins Right 4 LONG BRITE TIP	672-082-0L	
	JR 5	Judkins Right 5	672-084-00	558-084-00



JR 3.5



JR 4



JR 5

JUDKINS CURVED RIGHT

			6F	5F
	JCR 4	Judkins Curved Right 4	672-098-00	



JCR 4

SH: Side Holes
ST: Short Tip


Guiding Catheters

Left Coronary Extra Back-Up Shapes - ADROIT™



EXTRA BACK-UP

			6F	5F
	XB 2	Extra Back-Up 2	672-464-00	
	XB 2.5	Extra Back-up 2.5	672-465-00	
	XB 2.75	Extra Back-up 2.75	672-730-00	
	XB 3	Extra Back-Up 3	672-052-00	558-052-00
	XB 3.25	Extra Back-up 3.25	672-400-00	558-400-00
	XB 3 SH	Extra Back-Up 3, 2 side holes	672-053-00	
	XB 3.5 (125 cm)	Extra Back-up 3.5	672-054-25	
	XB 3.5 (90 cm)	Extra Back-Up 3.5, 90 cm	672-054-90	
	XB 3.5	Extra Back-Up 3.5	672-054-00	558-054-00
	XB 3.5 SH	Extra Back-Up 3.5, 2 side holes	672-055-00	
	XB 3.5 LBT	Extra Back-Up 3.5 LONG BRITE TIP	672-054-0L	
	XB 4	Extra Back-Up 4	672-056-00	558-056-00
	XB 4 SH	Extra Back-Up 4, 2 side holes	672-057-00	
	XB 4.5	Extra Back-Up 4.5	672-058-00	558-058-00
	XB 4.5 SH	Extra Back-Up 4.5, 2 side holes	672-059-00	



SH: Side Holes
ST: Short Tip

Guiding Catheters

Left Coronary Extra Back-Up Shapes - ADROIT™



EXTRA BACK-UP CONTRALATERAL

			6F	5F
	XBC 2.5	Extra Back-Up Circumflexa 2.5	672-732-00	
	XBC 2.75	Extra Back-Up Circumflexa 2.75	672-734-00	
	XBC 3	Extra Back-Up Circumflexa 3	672-070-00	558-070-00
	XBC 3 SH	Extra Back-Up Circumflexa 3, 2 side holes	672-071-00	
	XBC 3.25	Extra Back-Up Circumflexa 3.25	672-736-00	
	XBC 3.5	Extra Back-Up Circumflexa 3.5	672-072-00	558-072-00
	XBC 3.5 SH	Extra Back-Up Circumflexa 3.5, 2 side holes	672-073-00	
	XBC 4	Extra Back-Up Circumflexa 4	672-074-00	558-074-00
	XBC 4 SH	Extra Back-Up 4 Circumflexa, 2 side holes	672-075-00	
	XBC 4.5	Extra Back-Up 4.5 Circumflexa	672-076-00	
	XBC 4.5 SH	Extra Back-Up 4.5 Circumflexa, 2 side holes	672-077-00	



XBC 2.5



XBC 2.75



XBC 3



XBC 3.25



XBC 3.5



XBC 4



XBC 4.5

EXTRA BACK-UP LAD

			6F	5F
	XBLAD 3	Extra Back-Up LAD 3	672-066-00	
	XBLAD 3 SH	Extra Back-Up LAD 3, 2 side holes	672-067-00	
	XBLAD 3.5	Extra Back-Up LAD 3.5	672-060-00	558-060-00
	XBLAD 3.5 SH	Extra Back-Up LAD 3.5, 2 side holes	672-061-00	
	XBLAD 4	Extra Back-Up LAD 4	672-062-00	558-062-00
	XBLAD 4 SH	Extra Back-Up LAD 4, 2 side holes	672-063-00	
	XBLAD 4.5	Extra Back-Up LAD 4.5	672-064-00	



XBLAD 3



XBLAD 3.5



XBLAD 4



XBLAD 4.5

SH: Side Holes
ST: Short Tip

Guiding Catheters

Right Coronary Extra Back-Up Shapes - ADROIT™



EXTRA BACK-UP RCA

			6F	5F
	XBRCA	Extra Back-Up Right CA	672-126-00	558-126-00
	XBRCA SH	Extra Back-Up Right CA, 2 side holes	672-127-00	



XBRCA

EXTRA BACK-UP RIGHT

			6F	5F
	XBR 1	Extra Back-up Right 1	672-122-00	
	XBR 1 SH	Extra Back-up Right 1, 2 side holes	672-123-00	
	XBR 2	Extra Back-up Right 2	672-124-00	



XBR 1



XBR 2

SH: Side Holes
ST: Short Tip

Guiding Catheters

Left Coronary Amplatz Technique - ADROIT™



AMPLATZ LEFT

6F

5F

	AL .75	Amplatz Left 0.75	672-034-00	558-034-00
	AL .75 SH	Amplatz Left 0.75, 2 side holes	672-035-00	
	AL 1	Amplatz Left 1	672-036-00	558-036-00
	AL 1 ST	Amplatz Left 1, short tip	672-044-00	
	AL 1 SH	Amplatz Left 1, 2 side holes	672-037-00	
	AL 1.5	Amplatz Left 1.5	672-038-00	558-038-00
	AL 2	Amplatz Left 2	672-040-00	558-040-00
	AL 2 SH	Amplatz Left 2, 2 side holes	672-041-00	
	AL 2 LBT	Amplatz Left 2 LONG BRITE TIP	672-040-0L	
	AL 3	Amplatz Left 3	672-042-00	558-042-00



SH: Side Holes
ST: Short Tip

Guiding Catheters

Right Coronary Amplatz Technique - ADROIT™

AMPLATZ RIGHT

6F

5F

AR 1	Amplatz Right 1	672-110-00	558-110-00
AR 1 SH	Amplatz Right 1, 2 side holes	672-111-00	
AR 1 LBT	Amplatz Right 1 LONG BRITE TIP	672-110-0L	
AR 2	Amplatz Right 2	672-112-00	558-112-00
AR 2 SH	Amplatz Right 2, 2 side holes	672-113-00	
AR 2 LBT	Amplatz Right 2 LONG BRITE TIP	672-112-0L	



SH: Side Holes
ST: Short Tip

Guiding Catheters

Right Coronary & Noto Technique - ADROIT™



3-DIMENSIONAL RIGHT CORONARY - WILLIAMS TECHNIQUE

			6F	5F
	3DRC	Right Coronary 3 Dimensional	672-130-00	558-130-00
	3DRC SH	Right Coronary 3 Dimensional, 2 side holes	672-131-00	



3 DRC

NOTO TECHNIQUE

			6F	5F
	NR 4	Noto Technique Right 4	672-120-00	



NR 4

SH: Side Holes
ST: Short Tip

Guiding Catheters

Multipurpose - ADROIT™



HOCKEY STICK

6F

5F

H-STICK	Hockey Stick	672-278-00	558-278-00
H-STICK SH	Hockey Stick, 2 side holes	672-279-00	
H-STICK (90 cm)		672-278-90	
H-STICK LBT	Hockey Stick LONG BRITE TIP	672-278-0L	



H-STICK

MULTIPURPOSE A 1

6F

5F

MPA 1	Multipurpose A 1	672-270-00	558-270-00
MPA 1 SH	Multipurpose A 1, 2 side holes	672-271-00	
MPA 1 (125 cm)	Multipurpose A 1	672-270-25	
MPA 1 LBT	Multipurpose A 1 LONG BRITE TIP	672-270-0L	



MPA 1

MULTIPURPOSE B 1

6F

5F

MPB 1	Multipurpose B 1	672-272-00	
-------	------------------	------------	--



MPB 1

SH: Side Holes
ST: Short Tip


Guiding Catheters

Transradial / Brachial Technique - ADROIT™



DEDICATED RADIAL SHAPES

			6F	5F
	JFL	Left Transradial	672-162-00	558-162-00
	JFL-ST	Left Transradial, short tip	672-164-00	
	JFR	Right Transradial	672-168-00	
	JFR-ST	Right Transradial, short tip	672-170-00	
	RB	Radiobrachial	672-172-00	
	BARBEAU	Barbeau	672-174-00	558-174-00
	RBL 4	Radial Bi-lateral 4.0	672-717-00	
	RBL 4.5	Radial Bi-lateral 4.5	672-729-00	
	RBL 5.0	Radial Bi-lateral 5.0	672-718-00	
	RRAD5	Right Radial		558-320-00
	RRAD6	Right Radial	672-300-00	
	RRAD6 XB	Right Radial	672-301-00	



SH: Side Holes
ST: Short Tip

Guiding Catheters

Bypass - ADROIT™



SHAPES FOR CORONARY BYPASS : LEFT

			6F	5F
	LCB	Left Coronary Bypass	672-180-00	558-180-00
	LCB (90 cm)	Left Coronary Bypass	672-180-90	
	LCB SH	Left Coronary Bypass, 2 side holes	672-181-00	



LCB

RIGHT

			6F	5F
	RCB	Right Coronary Bypass	672-182-00	558-182-00
	RCB (90 cm)	Right Coronary Bypass	672-182-90	
	RCB SH	Right Coronary Bypass, 2 side holes	672-183-00	



RCB

SH: Side Holes
ST: Short Tip



INTERNAL MAMMARY

6F

5F

	IM (90 cm)	Internal Mammary, 90 cm	672-190-90	
	IM	Internal Mammary	672-190-00	558-190-00
	IM SH	Internal Mammary, 2 side holes	672-191-00	



IM

RENAL CURVE

6F

5F

	RDC	Renal Double Curve	672-212-55	
--	-----	--------------------	------------	--



RDC

SH: Side Holes
ST: Short Tip

Guiding Catheters

ECOPAC™ FIVE PACS - ADROIT™



5 units per package

LEFT CORONARY JUDKINS TECHNIQUE

6F

JL 4

Judkins Left 4

672-004-0E

LEFT CORONARY EXTRA BACK-UP SHAPES

6F

XB 3.5

Extra Back-Up 3.5

672-05400E

RIGHT CORONARY JUDKINS TECHNIQUE

6F

JR 4

Judkins Right 4

672-082-0E

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

SH: Side Holes
ST: Short Tip


Guiding Catheters

General Information - VISTA BRITE TIP® and Long BRITE TIP®

VISTA BRITE TIP® and Long BRITE TIP®


Extended Braiding

- 1 Nylon top coat
- 2 Extended Braiding transition tip
- 3 Brite tip
- 4 Stainless steel braid
- 5 .056", .070", .078", .088", .098" I.D.
- 6 PTFE inner liner




Hybrid Braiding

- 1 PTFE inner lining
- 2 .056", .070", .078"
- 3 Hybrid Braiding



- 1 Winged plastic hub
- 2 PTFE lined inner lumen
- 3 Stainless steel, wire-braided body for responsive 1:1 torque
- 4 Flexible transition section
- 5 Catheter French size, internal diameter (inches) and tip shape are printed on the strain relief
- 6 Nylon top coat
- 7 Soft, radiopaque tip for safe vessel cannulation



Length:

All brachial shapes = 90 cm

Femoral shapes

5F, 6F, 7F, 8F = 100 cm

9F = 98 cm

BRITE TIP length = 2.5mm and 16mm for Long BRITE TIP® (LBT)


Guiding Catheters

General Information - VISTA BRITE TIP® and Long BRITE TIP®


1 unit per package

VISTA BRITE TIP® and Long BRITE TIP®

JUDKINS LEFT



JUDKINS RIGHT



JUDKINS CURVED LEFT



JUDKINS CURVED RIGHT



Guiding Catheters

General Information - VISTA BRITE TIP® and Long BRITE TIP®

EXTRA BACK-UP



XB 3 XB 3.5 XB 4 XB 4.5

EXTRA BACK-UP RCA



XBR CA

EXTRA BACK-UP CONTRALATERAL




XBC 3.5

EXTRA BACK-UP RIGHT



XBR 1 XBR 2

EXTRA BACK-UP LAD



XB LAD 3.5 XB LAD 4 XB LAD 4.5

Guiding Catheters

General Information - VISTA BRITE TIP® and Long BRITE TIP®

AMPLATZ LEFT



AL .75 AL 1 AL 1.5 AL 2 AL 3

NOTO TECHNIQUE



NR 4

AMPLATZ RIGHT



AR 1 AR 2

HOCKEY STICK



H-STICK

3-DIMENSIONAL RIGHT CORONARY - WILLIAMS TECHNIQUE



3 DRC

MULTIPURPOSE



MPA 1 MPB 1

Guiding Catheters

General Information - VISTA BRITE TIP® and Long BRITE TIP®

DEDICATED RADIAL SHAPES

JEAN FAJADET LEFT



JFL JFL LT

JEAN FAJADET RIGHT



JFR

RADIAL-BACHIAL



RB

BARBEAU



BARBEAU

RADIAL BI-LATERAL



RBL 4.0 RBL 5.0

SHAPES FOR CORONARY BYPASS :

LEFT



LCB

RIGHT



RCB

Guiding Catheters

Left Coronary Judkins Technique - VISTA BRITE TIP® and Long BRITE TIP®



All catheters 100 cm except when noted

JUDKINS LEFT

			5F	6F	7F	8F
	JL 3	Judkins Left 3		670-000-00	778-000-00	588-812
	JL 3 ST	Judkins Left 3, short tip		SM7338*		
	JL 3 SH	Judkins Left 3, 2 side holes			778-001-00	
	JL 3.5	Judkins Left 3.5		670-002-00	778-002-00	588-851
	JL 3.5 LBT	Judkins Left 3.5 Long BRITE TIP®	556-002-0L			
	JL 3.5 ST	Judkins Left 3.5, short tip		670-012-00	778-012-00	
	JL 3.5 SH	Judkins Left 3.5, 2 side holes		670-003-00	778-003-00	588-832
	JL 3.5 (115 cm)	Judkins Left 3.5, 115 cm		SM7748*		
	JL4 (55 cm)	Judkins Left 4		SM7731*		
	JL 4 (90 cm)	Judkins Left 4		670-004-90		
	JL 4	Judkins Left 4		670-004-00	778-004-00	588-823
	JL 4 LBT	Judkins Left 4 Long BRITE TIP®	556-004-0L	670-004-0L		
	JL 4 ST	Judkins Left 4, short tip		670-014-00	778-014-00	
	JL 4 SH	Judkins Left 4, 2 side holes		670-005-00	778-005-00	588-834
	JL 4 ST SH	Judkins Left 4, short tip, 2 side holes			778-015-00	
	JL 4 (125 cm)	Judkins Left 4, 125 cm		SM7435*		
	JL 4.5	Judkins Left 4.5		670-006-00	778-006-00	588-852
	JL 4.5 LBT	Judkins Left 4.5 Long BRITE TIP®	SM7329*			
	JL 4.5 ST	Judkins Left 4.5, short tip		670-016-00		
	JL 4.5 SH	Judkins Left 4.5, 2 side holes			778-007-00	588-810
	JL 5	Judkins Left 5		670-008-00	778-008-00	588-853
	JL 5 LBT	Judkins Left 5 Long BRITE TIP®	556-008-0L			
	JL 5 SH	Judkins Left 5, 2 side holes			778-009-00	588-800
	JL 5 (125 cm)	Judkins Left, 125 cm		SM7361*		
	JL 6	Judkins Left 6		670-010-00	778-010-00	588-854



SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Left Coronary Judkins Technique - VISTA BRITE TIP® and Long BRITE TIP®



JUDKINS CURVED LEFT

5F

6F

7F

8F

	JCL 3.5	Judkins Curved Left 3.5		670-026-00		
	JCL 3.5 SH	Judkins Curved Left 3.5, 2 side holes		670-027-00		
	JCL 4	Judkins Curved Left 4		670-028-00		588-8108



JCL 3.5



JCL 4

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Right Coronary Judkins Technique - VISTA BRITE TIP® and Long BRITE TIP®



JUDKINS RIGHT

			5F	6F	7F	8F
	JR 3.5	Judkins Right 3.5		670-080-00	778-080-00	588-855
	JR 3.5 (125 cm)	Judkins Right 3.5, 125 cm		SM7371*		
	JR 3.5 LBT	Judkins Right 3.5 Long BRITE TIP®	556-080-0L			
	JR 3.5 SH	Judkins Right 3.5, 2 side holes		670-081-00	778-081-00	588-828
	JR 4 (65 cm)	Judkins Right 4, 65 cm	SM7743*			
	JR 4 (90 cm)	Judkins Right 4, 90 cm		670-082-90		
	JR 4	Judkins Right 4		670-082-00	778-082-00	588-830
	JR 4 LBT	Judkins Right 4 Long BRITE TIP®	556-028-0L	670-082-0L		
	JR 4 LBT (110 cm)	Judkins Right 4 Long BRITE TIP®, 110 cm	SM7426*			
	JR 4 ST	Judkins Right 4 short tip		670-090-00	778-090-00	
	JR 4 SH	Judkins Right 4, 2 side holes		670-083-00	778-083-00	588-831
	JR 4 (125 cm)	Judkins Right 4, 125 cm		SM7436*		
	JR 5	Judkins Right 5		670-084-00	778-084-00	588-856
	JR 5 LBT	Judkins Right 5 Long BRITE TIP®	SM7330*			
	JR 5 SH	Judkins Right 5, 2 side holes			778-085-00	



SH: Side Holes
ST: Short Tip

Guiding Catheters

Right Coronary Judkins Technique - VISTA BRITE TIP® and Long BRITE TIP®



JUDKINS CURVED RIGHT

5F

6F

7F

8F

JCR 4

Judkins Curved Right 4

670-098-00



JCR 4

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Left Coronary Judkins Technique	Left Coronary Extra Back-Up Shapes	Left Coronary Amplatz Technique	Right Coronary Judkins Technique	Right Coronary Extra Back-Up Shapes	Right Coronary Amplatz Technique	Right Coronary Noto Technique	Transradial / Brachial Technique	Multipurpose	Bypass	ECO-PAC FIVE PACS	Special Catheters / Modified Standards	
---------------------------------	------------------------------------	---------------------------------	---	-------------------------------------	----------------------------------	-------------------------------	----------------------------------	--------------	--------	-------------------	--	--

Guiding Catheters

Left Coronary Extra Back-Up Shapes - VISTA BRITE TIP® and Long BRITE TIP®



EXTRA BACK-UP LEFT

			5F	6F	7F	8F	9F
	XB 2.5	Extra Back-Up 2.5		SM7465*			
	XB 3	Extra Back-Up 3		670-052-00	778-052-00	588-829	
	XB 3 (90 cm)	Extra Back-Up 3, 90 cm		SM7736*			
	XB 3 LBT	Extra Back-Up 3 Long BRITE TIP®	SM7328*				
	XB 3 SH	Extra Back-Up 3, 2 side holes		670-053-00	778-053-00	588-875	
	XB 3.5 (90 cm)	Extra Back-Up 3.5, 90 cm		670-054-90			
	XB 3.5	Extra Back-Up 3.5		670-054-00	778-054-00	588-882	
	XB 3.5 LBT	Extra Back-Up 3.5 Long BRITE TIP®	556-054-0L	670-054-0L			
	XB 3.5 SH	Extra Back-Up 3.5, 2 side holes		670-055-00	778-055-00	588-885	SM7752*
	XB 3.5 (98 cm)	Extra Back-Up 3.5, 98 cm					SM7751*
	XB 3.5 (115 cm)	Extra Back-Up 3.5, 115 cm		SM7747*			
	XB 4	Extra Back-Up 4		670-056-00	778-056-00	588-894	
	XB 4 (90 cm)	Extra Back-Up 4, 90 cm		SM7737*			
	XB 4 LBT	Extra Back-Up 4 Long BRITE TIP®	556-056-0L	SM7148*			
	XB 4 SH	Extra Back-Up 4, 2 side holes		670-057-00	778-057-00	588-896	
	XB 4.5	Extra Back-Up 4.5		670-058-00	778-058-00		
	XB 4.5 SH	Extra Back-Up 4.5, 2 side holes		670-059-00	778-059-00		



XB 2.5



XB 3



XB 3.5



XB 4



XB 4.5

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Left Coronary Extra Back-Up Shapes - VISTA BRITE TIP® and Long BRITE TIP®



EXTRA BACK-UP CONTRALATERAL

			5F	6F	7F	8F
	XBC 3	Extra Back-Up Circumflexa 3		670-070-00		
	XBC 3 SH	Extra Back-Up Circumflexa 3, 2 side holes		670-071-00		
	XBC 3.5	Extra Back-Up Circumflexa 3.5		670-072-00		
	XBC 3.5 LBT	Extra Back-Up Circumflexa 3.5 Long BRITE TIP®	SM7466*			
	XBC 3.5 SH	Extra Back-Up Circumflexa 3.5, 2 side holes		670-073-00		
	XBC 4	Extra Back-Up Circumflexa 4		670-074-00		
	XBC 4 SH	Extra Back-Up Circumflexa 4, 2 side holes		670-075-00		
	XBC 4.5 SH	Extra Back-Up 4.5 Circumflexa, 2 side holes		670-077-00		




XBC 3



XBC 3.5



XBC 4



XBC 4.5

EXTRA BACK-UP LAD

			5F	6F	7F	8F
	XB LAD 3	Extra Back-Up LAD 3		670-066-00		
	XB LAD 3 SH	Extra Back-Up LAD 3, 2 side holes		670-067-00		
	XB LAD 3.5	Extra Back-Up LAD 3.5		670-060-00	778-060-00	588-8100
	XB LAD 3.5 LBT	Extra Back-Up LAD 3.5 Long BRITE TIP®	556-060-0L			
	XB LAD 3.5 SH	Extra Back-Up LAD 3.5, 2 side holes		670-061-00	778-061-00	588-8103
	XB LAD 4	Extra Back-Up LAD 4		670-062-00	778-062-00	588-8101
	XB LAD 4 SH	Extra Back-Up LAD 4, 2 side holes		670-063-00	778-063-00	
	XB LAD 4.5	Extra Back-Up LAD 4.5		670-064-00		



XB LAD 3



XB LAD 3.5



XB LAD 4



XB LAD 4.5

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Right Coronary Extra Back-Up Shapes - VISTA BRITE TIP® and Long BRITE TIP®



EXTRA BACK-UP RCA

5F

6F

7F

8F

XBR CA	Extra Back-up Right CA	670-126-00
XBR CA SH	Extra Back-up Right CA, 2 side holes	670-127-00

670-126-00
670-127-00



XBR CA

EXTRA BACK-UP RIGHT

5F

6F

7F

8F

XBR 1	Extra Back-up Right 1	670-122-00
XBR 1 SH	Extra Back-up Right 1, 2 side holes	670-123-00
XBR 2	Extra Back-up Right 2	670-124-00

670-122-00
670-123-00
670-124-00



XBR 1



XBR 2

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Left Coronary Amplatz Technique - VISTA BRITE TIP® and Long BRITE TIP®



AMPLATZ LEFT

			5F	6F	7F	8F
	AL .75	Amplatz Left 0.75	SM7722*	670-034-00	778-034-00	588-890
	AL .75 (90 cm)	Amplatz Left 0.75, 90 cm		SM7719*		
	AL .75 SH	Amplatz Left 0.75, 2 side holes		670-035-00		SM7649*
	AL 1	Amplatz Left 1		670-036-00	778-036-00	588-843
	AL 1 LBT	Amplatz Left 1 Long BRITE TIP®	SM7331*			
	AL 1 ST	Amplatz Left 1, short tip	SM7503*	670-044-00	778-044-00	588-870
	AL 1 SH	Amplatz Left 1, 2 side holes		670-037-00	778-037-00	588-847
	AL 1 ST SH	Amplatz Left 1, short tip, 2 side holes			778-045-00	
	AL 1.5	Amplatz Left 1.5		670-038-00	778-038-00	
	AL 1.5 SH	Amplatz Left 1.5, 2 side holes			778-039-00	588-878
	AL 2 (80 cm)	Amplatz Left 2, 80 cm				SM7342*
	AL 2 (90 cm)	Amplatz Left 2, 90 cm				588-844T
	AL 2	Amplatz Left 2		670-040-00	778-040-00	588-844
	AL 2 LBT	Amplatz Left 2 Long BRITE TIP®	556-040-0L	670-040-0L		
	AL 2 ST	Amplatz Left 2, short tip			778-048-00	
	AL 2 SH	Amplatz Left 2, 2 side holes		670-041-00	778-041-00	588-848
	AL 3	Amplatz Left 3		670-042-00	778-042-00	588-849
	AL 3 SH	Amplatz Left 3, 2 side holes			778-043-00	588-891



AL .75

AL 1

AL 1.5

AL 2

AL 3

SH: Side Holes
ST: Short Tip

Guiding Catheters

Right Coronary Amplatz Technique - VISTA BRITE TIP® and Long BRITE TIP®

AMPLATZ RIGHT

			5F	6F	7F	8F
	AR 1	Amplatz Right 1		670-110-00	778-110-00	588-845
	AR 1 LBT	Amplatz Right 1 Long BRITE TIP®	SM7333*	670-110-0L		
	AR 1 SH	Amplatz Right 1, 2 side holes			778-111-00	588-836
	AR 2	Amplatz Right 2		670-112-00	778-112-00	588-846
	AR 2 LBT	Amplatz Right 2 Long BRITE TIP®	556-112-0L	670-112-0L		
	AR 2 SH	Amplatz Right 2, 2 side holes		670-113-00	778-113-00	588-837
	AR-MOD	Amplatz Right Mod, 100 cm		SM7398*		



SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Right Coronary Williams Technique & Noto Technique - VISTA BRITE TIP® and Long BRITE TIP®



3-DIMENSIONAL RIGHT CORONARY - WILLIAMS TECHNIQUE

			5F	6F	7F	8F
	3DRC	Right Coronary 3 Dimensional		670-130-00		
	3DRC LBT	Right Coronary 3 Dimensional Long BRITE TIP®	SM7599*			
	3DRC SH	Right Coronary 3 Dimensional, 2 side holes		670-131-00		



3 DRC

NOTO TECHNIQUE

			5F	6F	7F	8F
	NR 4	Noto Technique Right 4		670-120-00		



NR 4

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Multipurpose - VISTA BRITE TIP® and Long BRITE TIP®



HOCKEY STICK

5F 6F 7F 8F

	H-STICK	Hockey Stick		670-278-00	778-278-00	588-841
	H-STICK LBT	Hockey Stick Long BRITE TIP®	556-278-0L	670-278-0L		
	H-STICK SH	Hockey Stick, 2 side holes		670-279-00	778-279-00	588-850



H-STICK

MULTIPURPOSE A 1

5F 6F 7F 8F

	MPA (120 cm)	Multipurpose A, 120 cm		SM7470*		
	MPA 1 LBT	Multipurpose A 1 Long BRITE TIP®	556-270-0L	670-270-0L		
	MPA 1 LBT (110 cm)	Multipurpose A 1 Long BRITE TIP®, 110 cm	SM7735*			
	MPA 1	Multipurpose A 1		670-270-00	778-270-00	588-842
	MPA 1 (115 cm)	Multipurpose A 1, 115 cm		SM7462*		
	MPA 1 SH	Multipurpose A 1, 2 side holes		670-271-00	778-271-00	588-892
	MPA 1 (125 cm)	Multipurpose A 1, 125 cm		SM7477*	SM7206*	
	MPA 2 (125 cm)	Multipurpose A 2, 125 cm		SM7394*		



MPA 1



MPA 2

MULTIPURPOSE B 1

5F 6F 7F 8F

	MPB 1	Multipurpose B 1		670-272-00		
	MPB 1 SH	Multipurpose B 1, 2 side holes			778-273-00	



MPB 1

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.


Guiding Catheters

Transradial / Brachial Technique - VISTA BRITE TIP® and Long BRITE TIP®



DEDICATED RADIAL SHAPES

			5F **	6F	7F	8F
	JFL	Left Transradial	556-162-0L	670-162-00		
	JFL-ST	Left Transradial, short tip		670-164-00		
	JFL-LT	Left Transradial, long tip		670-166-00		
	JFR	Right Transradial	556-168-0L	670-168-00		
	JFR-ST	Right Transradial, short tip		670-170-00		
	RB	Radiobrachial	556-172-0L	670-172-00		
	BARBEAU	Barbeau	556-174-0L	670-174-00		
	BARBEAU LBT	Barbeau Long BRITE TIP®		SM7542*		
	RBL 4.0	Radial Bi-lateral 4.0		SM7717*		
	RBL 4.0 LBT (110cm)	Radial Bi-lateral 4.0 LONG BRITE TIP	SM7734*			
	RBL 4.5	Radial Bi-lateral 4.5		SM7729*		
	RBL 5.0	Radial Bi-lateral 5.0		SM7718*		
	BBL	Brachial Bilateral		SM7636*		
	RRAD5	Right Radial	SM7732*			
	RRAD6	Right Radial		SM7733*		



SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

Bypass - VISTA BRITE TIP® and Long BRITE TIP®



SHAPES FOR CORONARY BYPASS : LEFT

			5F	6F	7F	8F
	LCB	Left Coronary Bypass		670-180-00	778-180-00	588-815
	LCB LBT	Left Coronary Bypass Long BRITE TIP®	SM7327*			
	LCB SH	Left Coronary Bypass, 2 side holes		670-181-00	778-181-00	



LCB

RIGHT

			5F	6F	7F	8F
	RCB	Right Coronary Bypass		670-182-00	778-182-00	588-816
	RCB SH	Right Coronary Bypass, 2 side holes		670-183-00	778-183-00	



RCB

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

** All 5F codes are Long BRITE TIP® catheters.

SH: Side Holes
ST: Short Tip

Guiding Catheters

Bypass - VISTA BRITE TIP® and Long BRITE TIP®



CORONARY BYPASS TECHNIQUES

5F 6F 7F 8F

LIMA (90 cm) 3D LIMA Left Internal Mammary Artery, 90 cm

SM7501*



LIMA

INTERNAL MAMMARY

5F 6F 7F 8F

IM (90 cm) Internal Mammary, 90 cm

670-190-90

IM Internal Mammary

670-190-00

778-190-00

588-817

IM LBT Internal Mammary Long BRITE TIP®

556-190-0L

IM SH Internal Mammary, 2 side holes

670-191-00

778-191-00

588-820



IM

CHAMP

5F 6F 7F 8F

CHAMP Champ 1.0, 100

SM7467*

SH: Side Holes
ST: Short Tip

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Guiding Catheters

ECOPAC™ FIVE PACS - VISTA BRITE TIP® and Long BRITE TIP®



5 units in a pack

LEFT CORONARY JUDKINS TECHNIQUE

6F

JL 4

Judkins Left 4

670-004-0E

LEFT CORONARY EXTRA BACK-UP SHAPES

6F

XB 3.5

Extra Back-Up 3.5

670-054-0E

RIGHT CORONARY JUDKINS TECHNIQUE

6F

JR 4

Judkins Right 4

670-082-0E

JR4 2SH

Judkins Right 4 with 2 Side Holes


SM7427*

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

SH: Side Holes
ST: Short Tip

Steerable Guidewires

Light Support	69
Moderate Support / Workhorse	71
Heavy Support	74
Highly Stenosed Lesion	75
Accessories	76



Steerable Guidewires

Cordis offers a complete platform of .014" steerable guidewires, including radiolucent and radiopaque wires, various support wires and total occlusion wires.

REFLEX®

Light Support Wire

- An ultra-thin .0067" core wire combined with Cordis' silicone based SLX™ coating give the REFLEX® Guidewire its outstanding crossing properties
- 25 cm distal radiopaque coil
- One-piece core construction
- Distal SLX™-lubricant

WIZDOM™

Light Support Wire

- Broad Transition One-Piece Corewire (0.007") for enhanced linear control
- Flex-Joint bond maintains strength and flexibility of the distal corewire transition
- Duraglide proximal coating and distal PTFE sleeve provide enhanced lubricity
- Available Tip configurations: Supersoft, Soft.

ATW™ / ATW™ Marker Wire

Moderate Support / Workhorse Wire

- Broad Transition One-Piece Corewire (0.0076") for enhanced linear control
- Flex-Joint bond maintains strength and flexibility of the distal corewire transition
- Duraglide proximal coating and distal PTFE sleeve provide enhanced lubricity
- Flexibility with support for modern Hi-Tech stents
- Available Tip configuration: Floppy
- ATW™ Marker Wire is an intermediate support wire for lesion measurement, with 4 radiopaque markers spaced 10 mm apart

STABILIZER® / STABILIZER® Marker Wire

Moderate Support / Workhorse Wire

Broad Transition One-Piece Corewire (0.010") for enhanced linear control

- Flex-Joint bond maintains strength and flexibility of the distal corewire transition
- Duraglide proximal coating and distal PTFE sleeve provide enhanced lubricity
- Balanced support and flexibility for greater guidewire demands
- Available Tip configuration: Supersoft, Soft
- Also available as Stabilizer® Plus and Stabilizer® XS and Stabilizer® Marker Wire
- Stabilizer® Marker Wire is an intermediate support wire for secure lesion measurement with 6 equally distanced marker bands (15 mm)

SHINOBI®

Highly Stenosed Lesion Wire

- Broad Transition One-Piece Corewire (0.007") for enhanced linear control
- Flex-Joint bond maintains strength and flexibility of the distal corewire transition
- Extended PTFE sleeve over tip provides superior lubricity
- Flexibility with support for modern applications
- Available Tip configuration: Floppy

SHINOBI® Plus

Highly Stenosed Lesion Wire

- Broad Transition One-Piece Corewire (0.010") for enhanced linear control
- Flex-Joint bond maintains strength and flexibility of the distal corewire transition
- Extended PTFE sleeve over tip provides superior lubricity
- Balanced support and flexibility for greater guidewire demands
- Available Tip configuration: Floppy

Steerable Guidewires

Light Support

REFLEX®

- Coating: PTFE & SLX™
- Units per Package: 5



SUPER SOFT TIP

- Color code: Orange

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	175	Straight		502-014C
	0.014	175	J-curve		502-014CJ

SOFT TIP

- Color code: Blue

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	175	Straight		502-014B

STANDARD TIP

- Color code: Green

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	175	J-curve		502-014AJ

Steerable Guidewires

Light Support

WIZDOM™

- Moderate support wire
- Coating: PTFE/Duraglide
- Distal Tip Radiopacity: 3 cm
- Units per Package: 5



SUPERSOFT TIP

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		512-143
	0.014	180	J-curve		512-143J
	0.014	300	Straight		512-143X
	0.014	300	J-curve		512-143Y

SOFT TIP

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		512-142
	0.014	180	J-curve		512-142J
	0.014	300	Straight		512-142X

WIZDOM™ ST - SHORT TRANSITION

- Coating: PTFE/Duraglide



	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		537-114
	0.014	180	J-curve		537-114J
	0.014	300	Straight		537-114X

Steerable Guidewires

Moderate Support / Workhorse

ATW™

- Intermediate support wire
- Coating: Duraglide/PTFE
- Distal Tip Radiopacity: 3 cm
- Tip Flexibility: Floppy
- Units per Package: 1



	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	195	Straight		595-014
	0.014	195	J-curve		595-J014
	0.014	300	Straight		595-X014
	0.014	300	J-curve		595-Y014

ATW™ ECO PACS

- Intermediate support wire
- Coating: Duraglide/PTFE
- Distal Tip Radiopacity: 3 cm
- Tip Flexibility: Floppy
- Units per Package: 5

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	195	Straight		595-E014
	0.014	195	J-curve		595-EJ014
	0.014	300	Straight		595-EX014
	0.014	300	J-curve		595-EY014

Steerable Guidewires

Moderate Support / Workhorse

STABILIZER® BP

- Balanced Performance Steerable Guidewire
- Coating: PTFE/Duraglide
- Distal Tip Radiopacity: 3 cm
- Units per Package: 5



SUPERSOFT TIP

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		507-914
	0.014	180	J-curve		507-914J
	0.014	300	Straight		507-914X
	0.014	300	J-curve		507-914Y

SOFT TIP

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		507-714
	0.014	180	J-curve		507-714J
	0.014	300	Straight		507-714X
	0.014	300	J-curve		507-714Y

Steerable Guidewires

Moderate Support / Workhorse

STABILIZER® MARKER WIRE

- Coating: PTFE/Duraglide
- 6 radiopaque markers spaced 15 mm apart
- Distal Tip Radiopacity: 3 cm
- Units per Package: 5

SUPERSOFT TIP

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	J-curve		518-224J

SOFT TIP

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		518-224
	0.014	300	Straight		518-224X
	0.014	300	J-curve		518-224Y

ATW™ MARKER WIRE

- Tip Flexibility: Floppy

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	195	Straight		595-M014
	0.014	195	J-curve		595-MJ014
	0.014	300	Straight		595-MX014
	0.014	300	J-curve		595-MY014

ATW™ MARKER WIRE ECO PACKS

- Units per Package: 5

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	195	Straight		595-ME014
	0.014	195	J-curve		595-MEJ014
	0.014	300	Straight		595-MEX014
	0.014	300	J-curve		595-MEY014

Steerable Guidewires

Heavy Support

STABILIZER® PLUS



SUPERSOFT TIP

- Radiolucent Extra Support Steerable Guidewires
- Coating: PTFE/Duraglide
- Distal Tip Radiopacity: 3 cm
- Units per Package: 5

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		507-114
	0.014	180	J-curve		507-114J
	0.014	300	Straight		507-114X
	0.014	300	J-curve		507-114Y

STABILIZER® XS

- Coating: PTFE/Duraglide
- Distal Tip Radiopacity: 3 cm
- Units per Package: 5

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		527-914
	0.014	180	J-curve		527914J
	0.014	300	Straight		527914X

Steerable Guidewires

Highly Stenosed Lesion

SHINOBI®

- Inner Corewire Diameter: 0.007"
- Shapeable
- Radiopaque: 3 cm
- Coating: PTFE
- Units per Package: 1



	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		547-114
	0.014	300	Straight		547-114X

SHINOBI® PLUS

- Inner Corewire Diameter: 0.01"
- Shapeable
- Radiopaque: 3 cm
- Coating: PTFE
- Units per Package: 1



	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	180	Straight		547-214
	0.014	300	Straight		547-214X

Steerable Guidewires


Accessories

EXTENSION WIRE - CINCH® QR

	DIAMETER (inch)	LENGTH (cm)	TIP SHAPE	DEFLECTING TIP CONFIGURATION (mm)	CATALOGUE NUMBER
	0.014	145	Straight		502-144

Emboli Protection Device

General Information	79
ANGIOGUARD® RX Emboli Capture Guidewire System	80



Emboli Protection Device

ANGIOGUARD® RX

Angioguard® RX with its Rapid Exchange System is easy to use, providing optimal protection while maintaining blood flow.

Ease of use

- **Medium & Extra Support Wires**
 - 0.014" compatible wire available in Medium & Extra support for lesion specific access and support of interventional devices
- **Excellent crossability**
 - Easy to cross tortuous anatomies with a crossing profile from as low as 3.2F
- **Rapid Exchange System**
 - Simplified deployment with peel away deployment sheath
 - Easy capture of filter with Rapid Exchange capture sheath
 - Single operator
 - Faster procedure
 - Enhanced wire control

Capture effectiveness

- **Effective capture** of clinically relevant emboli with 100µ pore sizes filter
- **Optimal wall apposition**

Safety


- **Continuous perfusion** throughout the procedure
- **Excellent visualisation** and optimal control
 - 4 radiopaque markers on the basket
 - Proximal and distal markerbands
- **Effective sealing** of the vessel preventing migration of emboli
- **Designed to minimize vessel trauma**
 - Tapered delivery and capture sheaths
 - Coil nosecone to improve wire transition

Emboli Protection Device

General Information

ANGIOGUARD® RX

The Angioguard® RX with its Rapid Exchange System is easy to use, providing optimal protection while maintaining blood flow



Emboli Protection Device

ANGIOGUARD® RX Emboli Capture Guidewire System

ORDERING INFORMATION

- Guidewire length 180 cm
- .014" Wire
- Guiding Catheter Compatibility: 8F
- Sheath Compatibility: 6F

CORONARY (medium support)

	FILTER BASKET SIZE (mm)	VESSEL DIAMETER (mm)	CATALOGUE NUMBER
	4	3.0 < vessel ≤ 3.5	401814RM
	5	3.5 < vessel ≤ 4.5	501814RM
	6	4.5 < vessel ≤ 5.5	601814RM


PERIPHERAL / CAROTID (extra support)

	FILTER BASKET SIZE (mm)	VESSEL DIAMETER (mm)	CATALOGUE NUMBER
	5	3.5 < vessel ≤ 4.5	501814RE
	6	4.5 < vessel ≤ 5.5	601814RE
	7	5.5 < vessel ≤ 6.5	701814RE
	8	6.5 < vessel ≤ 7.5	801814RE

Emboli Protection Device

Diagnostic Guidewires

EMERALD™ Fixed-Core Guidewires	84
EMERALD™ Fixed-Core Exchange Guidewires	86
EMERALD™ Movable-Core Guidewires	87
EMERALD™ Amplatz Guidewires	88
EMERALD™ Amplatz Super Stiff Guidewires	89
EMERALD™ Rosen Heavy Duty and Biopsy Forceps Guidewires	90
AQUATRACK® Hydrophilic Coated Guidewires	91



Diagnostic Guidewires

EMERALD™ GUIDEWIRES

PTFE pre-coated guidewire:

- uniform surface finish
- lower insertion and withdrawal force

Product Benefits:

Easy navigation

- Versatility of tip shapes and flexibilities
- Enhanced maneuverability
- Finger straightenability

Built-in safety

- Solid tensile strength minimizes the likelihood of stretching or fracturing
- Safety ribbon is welded to both ends of the wire to help it remain intact in the event of a fracture or stretching

AQUATRACK®

Hydrophilic Coated Guidewires

Regular and stiff hydrophilic wires for access and interventional procedures:

- facilitates access to the most tortuous anatomy
- providing the control, visibility and exceptional design symmetry
- enables to torque and maneuver through difficult lesions

Product Benefits:

Easy navigation

- Increased turn-for-turn responsiveness
- leading to multivessel selection and lesion crossability

Greater visibility

- Excellent radiopacity can help promote faster and more accurate procedures

Lasting lubricity


- Access with excellent guide and device support, with a smooth ride from start to finish

Diagnostic Guidewires

Emerald™ Fixed-Core Guidewires

- For percutaneous entry and guidance of angiographic catheters
- Units per Package: 5

PTFE-COATED STRAIGHT TIP



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.018	150	7		502-704
	0.021	150	7		502-703
	0.025	150	7		502-549
	0.032	150	7		502-548
	0.035*	150	7		502-542
	0.035	150	10		502-544
	0.035*	150	20		502-560
	0.038	150	7		502-541

* with floppy tip

PTFE-COATED DOUBLE-ENDED

- 3 cm straight / 7 cm J-curve

	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	FLEXIBLE END - J-CURVE (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	150	3	7	2	502-563

Diagnostic Guidewires

Emerald™ Fixed-Core Guidewires

PTFE-COATED J-CURVE



	DIAMETER (inch)	REMARKS	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.025		150	7	3	502-524
	0.025		150	7	15	502-536
	0.030	heavy duty, high strength	150	7	3	502-522
	0.032		150	7	3	502-526
	0.035		80	7	3	502-701
	0.035		150	7	1.5	502-531
	0.035	high strength	175	7	1.5	502-534
	0.035		150	7	3	502-521
	0.035		175	7	3	502-585
	0.035		150	7	6	502-589
	0.035		150	7	15	502-535
	0.035		150	10	3	502-587
	0.035		150	10	15	502-576
	0.038		150	7	3	502-520
	0.038		175	7	3	502-584
	0.038		150	7	6	502-588
	0.065		150	10	6	502-530

Diagnostic Guidewires

Emerald™ Fixed-Core Exchange Guidewires

- For use in percutaneous entry, guidance and exchange of angiographic catheters
- Units per Package: 5

PTFE-COATED STRAIGHT TIP



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.032	260	7		502-554
	0.035	220	7		502-558
	0.035	260	7		502-555
	0.038	260	7		502-553

PTFE-COATED J-CURVE




	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.018	260	7	3	502-456
	0.025	260	7	3	502-452
	0.032	260	7	3	502-454
	0.035	260	7	3	502-455
	0.038	260	7	3	502-453

Diagnostic Guidewires

Emerald™ Movable-Core Guidewires

- For use in percutaneous entry and guidance of angiographic catheters
- With 4 cm handle
- Units per Package: 5
- Amplatz™ movable core guidewires in the same configurations as below are available on request

PTFE-COATED STRAIGHT TIP



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	150			502-581
	0.038	150			502-580

PTFE-COATED J-CURVE



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	150		3	502-571
	0.038	150		3	502-570

Diagnostic Guidewires

Emerald™ Amplatz Guidewires

- It exhibits little resistance through tortuous vascular curves
- For percutaneous entry and guidance of angiographic catheters
- Units per Package: 5

PTFE-COATED STRAIGHT TIP



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	150			502-581A

PTFE-COATED J-CURVE



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.038	150		3	502-570A
	0.035	150		3	502-571A

Diagnostic Guidewires

Emerald™ Amplatz Super Stiff Guidewires

- For percutaneous entry and guidance of angiographic catheters
- Units per Package: 5

PTFE-COATED STRAIGHT TIP



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	260	3		502-442E
	0.035	150			502-726
	0.035	180			502-728

PTFE-COATED J-CURVE



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	150		3	502-731
	0.035	180		3	502-733
	0.035	260		3	502-735

Diagnostic Guidewires

Emerald™ Rosen Heavy Duty and Biopsy Forceps Guidewires

EMERALD™ ROSEN HEAVY DUTY GUIDEWIRES

- For percutaneous entry and guidance of angiographic catheters
- Intermediate level of body stiffness
- Highly atraumatic tip
- Maintains purchase in short vessel segments
- Units per Package: 5

PTFE-COATED J-CURVE



	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	150		1.5	502-716
	0.035	180		1.5	502-717

EMERALD™ STANDARD J-TIP GUIDEWIRES

- For Biopsy Forceps procedures
- Fixed Core
- Units per Package: 5

PTFE-COATED J-CURVE

	DIAMETER (inch)	LENGTH (cm)	FLEXIBLE END (cm)	J-RADIUS (mm)	CATALOGUE NUMBER
	0.035	80	7	3	502-701

Diagnostic Guidewires

AQUATRACK® Hydrophilic Coated Guidewires

AQUATRACK®


- Guidewire OD: .035"
- Nitinol core wire
- Photolink® Hydrophilic Coating
- Torque device included with each wire
- 5 units per package

REGULAR - WIRE TAPERS OVER 8"

Length	Stiffness	Taper	Tip	CATALOGUE NUMBER
150 cm	Regular	Short	Angled	C3515RSA
150 cm	Regular	Short	Straight	C3515RSS
180 cm	Regular	Short	Angled	C3518RSA
180 cm	Regular	Short	Straight	C3518RSS
260 cm	Regular	Short	Angled	C3526RSA

STIFF - WIRE TAPERS OVER 5"

Length	Stiffness	Taper	Tip	CATALOGUE NUMBER
150 cm	Stiff	Short	Angled	C3515SSA
180 cm	Stiff	Short	Angled	C3518SSA
260 cm	Stiff	Short	Angled	C3526SSA
260 cm	Stiff	Short	Straight	C3526SSS



Catheter Sheath Introducers


General Information	94
AVANTI®+ Standard Sheath Introducer	96
AVANTI®+ Mid-Length Sheath Introducer	97
AVANTI®+ Valveless Portless Sheath Introducer	98
AVANTI®+ Brachial Sheath Introducer	99
AVANTI®+ Paediatric Sheath Introducer	100
AVANTI®+ Transradial Sheath Introducer Kit	101
Dilators & Accessories	102



Catheter Sheath Introducers

AVANTI®+

- Excellent kink resistance
- Low insertion force



Catheter Sheath Introducers

General Information

Cordis sheath introducer systems are for the percutaneous introduction of intravascular devices. All components that enter the vessel are radiopaque. The number stamped on the vessel dilator hub indicates the French size of the largest catheter that will pass through the sheath.

Strength lies in flexibility ...

Avanti+ is a sheath introducer with outstanding qualities. The polyethylene cannula offers excellent kink resistance with smooth transitions between cannula, vessel dilator and guidewire.

ULTRA-SMOOTH INSERTION

Advanced engineering and production processes have resulted in smooth transitions between cannula, dilator and guidewire. This results in low insertion force, no crumbling and reduction in puncture site trauma.

OUTSTANDING KINK RESISTANCE

Avanti+ is made of that material which allows for cannula flexibility whilst maintaining strength and kink resistance.



Cordis innovative six-cut spiral valve design allows free catheter movement without blood reflux or air aspiration.



Side port with rotating suture collar.

EASE OF USE

We offer Avanti+ also in standardised pack configurations which offer unprecedented ease of use and increased cost-effectiveness.

Catheter Sheath Introducers

General Information

	AVANTI®+	
	Standard length	Mid-length
Cannula length (cm)	11	23
Dilator length		
4F-5F	18	28
6F-9F	19	28
10F-11F	20	30
Stopcock	3-Way	3-Way
Sideport Extension length (cm)	22	22
Obturator length	13	26
Suture collar	Rotating colour coded suture collar	


- All mini-guidewires are 45 cm double-ended straight/J stainless steel mini-guidewires.
- All products are packaged five per box.

Catheter Sheath Introducers

AVANTI®+ Standard Sheath Introducer

AVANTI®+ STANDARD SHEATH INTRODUCER

- Sheath assembly
- Flexible and kink-resistant cannula
- Sideport extension with 3-way stopcock
- Flexible dilator
- Units per Package: 5



FRENCH SIZE (F)	CANNULA USABLE LENGTH (cm)	MINI-GUIDEWIRE DIAMETER (inch)	WITH MINI-GUIDEWIRE	WITHOUT MINI-GUIDEWIRE
4F	11	.035	504-604X	504-604A
5F	11	.038	504-605X	504-605A
5.5F	11	.038	504-655X*	
6F	11	.038	504-606X	504-606A
6.5F	11	.038	504-656X*	504-656A*
7F	11	.038	504-607X	504-607A
7.5F	11	.038	504-657X*	
8F	11	.038	504-608X	504-608A
8.5F	11	.038	504-658X*	
9F	11	.038	504-609X	504-609A
10F	11	.038	504-610X	504-610A
11F	11	.038	504-611X	

* Monitoring sheath: provides slightly larger ID for pressure monitoring or side port aspiration with a catheter in place; they are one-half French size larger in size

Catheter Sheath Introducers

AVANTI®+ Mid-Length Sheath Introducer

AVANTI®+ MID-LENGTH SHEATH INTRODUCER



	FRENCH SIZE (F)	CANNULA USABLE LENGTH (cm)	DILATOR USABLE LENGTH (cm)	WITH OBTURATOR	WITHOUT OBTURATOR
	4F	23	30		504-604T
	5F	23	30		504-605T
	6F	23	30	504-606D	504-606T
	6.5F	23	30		504-656T*
	7F	23	30	504-607D	504-607T
	8F	23	30	504-608D	504-608T
	10F	23	30		504-610T
	11F	23	30		504-611T

* Monitoring sheath: provides slightly larger ID for pressure monitoring or side port aspiration with a catheter in place; they are one-half French size larger in size

Catheter Sheath Introducers

AVANTI®+ Valveless Portless Sheath Introducer

AVANTI®+ VALVELESS PORTLESS SHEATH INTRODUCER WITH MINI-GUIDEWIRE

- Valveless-Portless
- Sheath assembly with female Luer connector hub, 45 cm miniguide wire and tapered vessel dilator
- 11 cm usable cannula length
- 17 cm usable guidewire length
- Straight
- Units per Package: 5



	FRENCH SIZE (F)	CANNULA USABLE LENGTH (cm)	MINI-GUIDEWIRE DIAMETER (inch)	CATALOGUE NUMBER
	6F	11	.038	504-606V
	7F	11	.038	504-607V
	8F	11	.038	504-608V

Catheter Sheath Introducers

AVANTI®+ Brachial Sheath Introducer

AVANTI®+ BRACHIAL SHEATH INTRODUCER WITH MINI-GUIDEWIRE



	FRENCH SIZE (F)	CANNULA USABLE LENGTH (cm)	MINI-GUIDEWIRE DIAMETER (inch)	CATALOGUE NUMBER
	4F	5.5	.035	504-604P
	5F	5.5	.038	504-605P
	6F	5.5	.038	504-606P

Catheter Sheath Introducers

AVANTI®+ Paediatric Sheath Introducer

AVANTI®+ PAEDIATRIC SHEATH INTRODUCER WITH MINI-GUIDEWIRE



	FRENCH SIZE (F)	CANNULA USABLE LENGTH (cm)	MINI-GUIDEWIRE DIAMETER (inch)	CATALOGUE NUMBER
	4F	7.5	.021	504-604S
	5F	7.5	.021	504-605S
	6F	7.5	.021	504-606S

Catheter Sheath Introducers

AVANTI®+ Transradial Sheath Introducer Kit

AVANTI®+ TRANSRADIAL SHEATH INTRODUCER KIT WITH MINI-GUIDEWIRE

- With mini-guidewire, vessel dilator and 21G needle



	FRENCH SIZE (F)	CANNULA USABLE LENGTH (cm)	GUIDEWIRE ACCEPTANCE (inch)	CATALOGUE NUMBER
	4F	11	.021	504-614Z
	4F	23	.021 70 cm	504-624Z
	5F	11	.021	504-615Z
	5F	23	.021 70 cm	504-625Z
	6F	11	.021	504-616Z
	6F	23	.021 70 cm	504-626Z
	7F	11	.021	504-617Z

Catheter Sheath Introducers

Dilators & Accessories

OBTURATORS (For use with Sheath Introducers)

- Units per Package: 10



	FRENCH SIZE (F)	USABLE LENGTH (cm)	CATALOGUE NUMBER
	4F	13	502-188
	5F	13	502-190
	6F	13	502-191
	7F	13	502-192
	8F	13	502-194

OBTURATORS (For use with Mid-Length / PTCA Sheath Introducers)

- Units per Package: 10

	FRENCH SIZE (F)	USABLE LENGTH (cm)	CATALOGUE NUMBER
	5F	26	502-196
	6F	26	502-197
	7F	26	502-198

Catheter Sheath Introducers

Dilators & Accessories

VESSEL DILATORS


- Facilitate the percutaneous entry of angiographic catheters
- With Luer hubs
- Colour-coded according to French size
- Units per Package: 10



	FOR USE WITH CATHETER FRENCH (F)	FOR USE WITH GUIDEWIRE DIAMETER (inch)	USABLE LENGTH (cm)	CATALOGUE NUMBER
	4	.035	17	504-404X
	4	.021	14.5	504-504S
	5	.021	14.5	504-505S
	5	.035	17	504-405X
	5	.038	17	504-505X
	6	.032	17	504-406X
	6	.038	17	504-506X
	7	.035	19	504-407X
	7	.038	17	504-507X
	8	.035	19	504-408X
	8	.038	17	504-508X

Diagnostic Catheters

General Information	106
Left Coronary Techniques	110
Right Coronary Techniques	112
Multipurpose Technique	114
Radials / Brachials Technique	116
Bypass	119
Ventricular & Cardiac Catheters	120
Diagnostic Multipacks	124
Diagnostic PRIMOPACS™	126
Diagnostic CORPACS®	127
Diagnostic Bi-Packs	130



Diagnostic Catheters

Cordis has set the standard in diagnostic catheters. They meet all clinical requirements and provide you with maximum clinical value. Cordis stands for a broad range of easy to use diagnostic catheters for every possible procedure.

7F HIGHFLOW™

- Two segment braided polyurethane construction

QUICK CARE 4F INFINITI®

- Smaller puncture site
- Three segment nylon construction with braided body improves kink resistance
- Soft radiopaque tip allows atraumatic cannulation and provides enhanced visibility
- Thin wall design enables larger lumen and optimal contrast flow
- TRUELUMEN technology ensures consistent ID from hub to tip

INFINITI®

- Three segment nylon construction with braided body improves kink resistance and minimizes whip
- Soft radiopaque tip allows atraumatic cannulation and provides enhanced visibility
- Thin wall design enables larger lumen and optimal contrast flow
- TRUELUMEN technology ensures consistent ID from hub to tip

SUPERTORQUE® Plus

- Three segment polyurethane construction with braided body improves kink resistance and minimizes whip
- Soft radiopaque tip allows atraumatic cannulation and provides enhanced visibility

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Diagnostic Catheters

General Information

	4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus
Pressure Limit (PSI)	1200	1200	1200
Guidewire Acceptance (0.0xx")	0.035" *	0.038"	0.038"
Flow rate (ml/sec) 8cP at Pressure Limit (100 cm catheter)			
- Selectives	16.7	21.3	21.0
- Pigtails	16.6	19.8	18.5

	6F Infiniti®	6F SuperTorque® Plus	7F HIGHFLOW™
Pressure Limit (PSI)	1200	1200	1050
Guidewire Acceptance (0.0xx")	0.038"	0.038"	0.038"
Flow rate (ml/sec) 8cP at Pressure Limit (100 cm catheter)			
- Selectives	35.0	24.3	32.0
- Pigtails	32.6	25.1	32.2

* 0.038" for micro Loop Pigtail




1 Catheter French size, length (cm), maximum injection pressure (psi) and guidewire diameter (inches) are stamped on the hub.

2 Stainless steel, wire-braided body wrapped with thrombo-resistant material.

3 Special atraumatic tip. Catheter tip demonstrates superb shape retention, greater positional stability and is made from a special blend of soft, atraumatic material. All single pack catheters come 5 per box unless stated otherwise.

Catheter hub colour-coding:


4F-Red, 5F-Grey, 6F-Green, 7F-Orange.



Diagnostic Catheters


General Information

JUDKINS LEFT



JL 3.5 JL 4 JL 4.5 JL 5 JL 6 JL 7

AMPLATZ LEFT




AL 1 AL 2 AL 3

JUDKINS RIGHT



JR 3.5 JR 4 JR 4 MOD JR 5 JR 5 MOD JR 6

AMPLATZ RIGHT



AR MOD AR 1 MOD AR 2 MOD

3-DIMENSIONAL RIGHT COROANRY - WILLIAMS TECHNIQUE



3 DRC

RIGHT CORONARY NOTO TECHNIQUE




SRC

Diagnostic Catheters


General Information

MULTIPURPOSE



MPA 1 MPA 2

MULTIPURPOSE B GENSINI



MPB 2 MPB 3

SONES



SON 1 SON 2 SON 3

CASTILLO



CAS 1 CAS 2 CAS 3

BARBEAU



Barbeau

TRANSRADIAL



RBL 4.0 RBL 5.0 RBMP/
Tilon LEMAN/
RBL
modified

Diagnostic Catheters

General Information

EL GAMAL



EGB 1 EGB 2

CORONARY BYPASS TECHNIQUES




LCB RCB IM IM MOD
Bartorelli-
Cozzi

VENTRICULAR PIGTAIL



PIG

VENTRICULAR ANGLED PIGTAIL: VAN TASSEL



PIG 145° PIG 155°

N.I.H.



N.I.H.

Diagnostic Catheters


Left Coronary Techniques



LEFT CORONARY JUDKINS TECHNIQUE (100 cm)

- For percutaneous entry and guidance of angiographic catheters
- Units per Package: 5

		4F Quick Care Infiniti®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque® Plus	4F SuperTorque® SR3740	6F SuperTorque® SRD6054	6F SuperTorque® Plus SR4533	6F Infiniti® SRD6979* [□]	7F HIGHFLOW™ 527-718
JL1.5 (80cm)	Judkins Left 1.5, 80 cm					SR3740				
JL2 (80 cm)	Judkins Left 2, 80 cm					SRD6054				
JL 2.5 (80 cm)	Judkins Left 2.5, 80 cm					SR4533				
JL 2.5 (100 cm)	Judkins Left 2.5, 100 cm				SRD6787*					
JL 3	Judkins Left 3.0		SRD6994*		SR3216 [^]		SR3963*		SRD6979* [□]	
JL 3 (80 cm)	Judkins Left 3.0, 80 cm				SR4747	SR4532*				
JL 3.5	Judkins Left 3.5	538-418	534-518T	SRD7061*	533-551			533-618	534-618T	527-718
JL 3.5	Judkins Left 3.5			SRD7083* [□]						
JL 4	Judkins Left 4	538-420	534-520T	SRD7084*	533-553			533-620	534-620T	527-720
JL 4	Judkins Left 4			SRD7042*						
JL 4 ST	Judkins Left 4 Short Tip							SRD5568*		
JL 4 (125 cm)	Judkins Left 4, 125 cm	SRD5217	SR4984 ^{°°}		SR4690*			SR3056*	534-614T	
JL 4.5	Judkins Left 4.5	538-417	534-517T		533-527			533-627	534-617T	
JL 5	Judkins Left 5	538-422	534-522T		533-559			533-622	534-622T	527-722
JL 5 (125 cm)	Judkins Left 5, 125 cm		SR4778		SR5004*			SR3472*		
JL 6	Judkins Left 6	538-424	534-524T		533-561			533-624	534-624T	527-724
JL 6 (125 cm)	Judkins Left 6, 125 cm				SR2889*					
JL 6.5 (110 cm)	Judkins Left 6.5, 110 cm				SRD6663*					



JUDKINS CURVED LEFT

		4F Quick Care Infiniti®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti® SRD7101*	7F HIGHFLOW™
JCL 3.5 (100 cm)	Judkins Curved Left 3.5, 100 cm						SRD7101*	

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

[□] One product per package.

^{°°} Another code with similar characteristics also exist: SRD6620

[^] Another code with similar characteristics also exist: SRD5157

Diagnostic Catheters

Left Coronary Techniques



LEFT CORONARY AMPLATZ TECHNIQUE (100 cm)

• Units per Package: 5

		4F Quick Care Infiniti®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
AL .75	Amplatz Left .75					SRD6916*			
AL 1	Amplatz Left 1	538-445	534-545T	SRD7011		533-540	533-645	534-645T	527-740
AL 1	Amplatz Left 1			SRD7081*^o					
AL 1 (125 cm)	Amplatz Left 1, 125 cm		SRD5566				SR3349		
AL 1.5	Amplatz Left 1.5				SRD6547*			SRD5643*	
AL 2	Amplatz Left 2	538-446	534-546T	SRD7082*		533-542	533-646	534-646T	527-741
AL 2 (100 cm)	Amplatz Left 2, 100 cm			SRD7043*^o					
AL 2 (125 cm)	Amplatz Left 2, 125 cm		SR4982*			SR3008			
AL 3	Amplatz Left 3	538-447	534-547T			533-544	533-647	534-647T	



AL .75



AL 1



AL 1.5



AL 2



AL 3

EXTRA BACK-UP LEFT (100 cm)

• Units per Package: 5

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
XB 3.0	Extra Back-up Left	SRD7033*	SRD5124		SRD6172*		
XB 3.5	Extra Back-up Left	SRD6642*	SRD6987		SR4444*		
XB 3.5 ST	Extra Back-up Left Short Tip				SR4615		
XB 4	Extra Back-up Left	SRD6020*					



XB 3.0



XB 3.5



XB 4

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

^o One product per package


Diagnostic Catheters

Right Coronary Techniques




RIGHT CORONARY JUDKINS TECHNIQUE (100 cm)

		4F Quick Care Infiniti®	4F SuperTorque®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
JR 2 (80 cm)	Judkins Right 2, 80 cm		SR4038*							
JR 2.5	Judkins right 2.5							SRD5149*		
JR 2.5 (80 cm)	Judkins Right 2.5, 80 cm	SR4531*						SR1971*		
JR 3 SH	Judkins Right 3, 2 side holes							SRD5558*		
JR 3.5	Judkins Right 3.5	538-419		534-519T			533-550	533-619	534-619T	527-719
JR 4	Judkins Right 4	538-421		534-521T	SRD7085°°	SRD5404*	533-552	533-621	534-621T	527-721
JR 4 (125 cm)	Judkins Right 4, 125 cm	SRD5216*		SRD6604			533-565	SR3757*	534-615T	
JR 4 SH	Judkins Right 4, 4 side holes						SRD5408*			
JR 4 Classic	Judkins Right 4 Classic, 100 cm							533-687		
JR 4 RECESSED BRAID	Judkins Right 4 Recessed Braiding							533-689		
JR 4 MOD	Judkins Right 4 Modified	538-428					533-528	533-628	534-628T	
JR 4 ST	Judkins Right 4 Short Tip	538-427		534-527T			533-563	533-626	534-627T	
JR 5	Judkins Right 5	538-423		534-523T			533-558	533-623	534-623T	527-723
JR 5 (125 cm)	Judkins Right 5, 125 cm			SR4777*			SR5005	SR3471°		
JR 5 MOD	Judkins Right 5 Modified								534-629T	
JR 6	Judkins Right 6	538-425		534-525T			533-560	533-625	534-625T	



RIGHT CORONARY AMPLATZ TECHNIQUE MODIFIED (100 cm)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
AR MOD	Amplatz Right Modified	538-448	534-548T	533-554	533-648	534-648T	527-748
AR 1 MOD	Amplatz Right 1 Modified	538-441	534-541T		533-641	534-641T	
AR 1 MOD (110 cm)	Amplatz Right Modified (25 units)		SRD7015*				
AR 2 MOD	Amplatz Right 2 Modified	538-443	534-543T		533-643	534-643T	



* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

° Another code also exist: SR2701. Profile on the tip: Step down 0.63"±0.05", Step down diameter: 0.066"±0.003"

°° Another code with similar characteristics also exist: SRD7009

Diagnostic Catheters

Right Coronary Techniques



RIGHT CORONARY SHAPES - WILLIAMS TECHNIQUE

• Units per Package: 3

			4F Quick Care Infiniti®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®
	3 DRC	Right Coronary 3 Dimensional	538-476	534-576T	SRD7090*	533-576	533-676	534-676T



3 DRC

RIGHT CORONARY NOTO TECHNIQUE (100 cm)

			4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
	SRC	Right Coronary N.	538-474	534-574T		SRD6596*	534-674T	



SRC

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Diagnostic Catheters

Multipurpose Technique



MULTIPURPOSE A COURNAND TECHNIQUE (OPEN END, NO SIDES HOLES)

		4F Quick Care Infiniti®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque® Plus	6F SuperTorque® Plus	7F HIGHFLOW™
MPA 1 (60 cm)	Multipurpose A, 65 cm						SRD6704
MPA 1 (80 cm)	Multipurpose A, 80 cm				533-579	533-633	
MPA 1	Multipurpose A Cournand, 100 cm		SR4967*		533-578	533-640	527-784
MPA 1	Multipurpose A, 100 cm	SRD5190*			SR1924		
MPA 1 (125 cm)	Multipurpose A, 125 cm			SRD6858		533-667	

MPA 1

MULTIPURPOSE A PAEDIATRIC CURVE (OPEN END, 2 SIDE HOLES)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
MPA 2 (I) SH (65 cm)	Multipurpose A-2, 65 cm 2 side holes	538-440	534-540T				
MPA 2 (I) SH (80 cm)	Multipurpose A-2, 80 cm 2 side holes	538-449	534-549T				
MPA 2 (I) SH (100 cm)	Multipurpose A-2, 100 cm 2 side holes	538-442		533-556			
MPA 2 (I) SH (125 cm)	Multipurpose A-2, 125 cm 2 side holes	538-444		533-557			

MPA 2 (I)

* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Diagnostic Catheters

Multipurpose Technique



MULTIPURPOSE A ADULT CURVE (OPEN END, 2 SIDE HOLES)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
MPA 2 SH (65 cm)	Multipurpose A-2, 65 cm 2 side holes			533-562			
MPA 2 SH (80 cm)	Multipurpose A-2, 80 cm 2 side holes			533-532	533-629		
MPA 2 SH (100 cm)	Multipurpose A-2, 100 cm 2 side holes		534-542T	533-582	533-642	534-642T	527-742
MPA 2 SH (125 cm)	Multipurpose A-2, 125 cm 2 side holes		534-544T		533-644		527-787



MPA 2

MULTIPURPOSE A Adult Curve (open end, no side hole)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
MPA 2	Multipurpose A-2, 100 cm			SR1924*			



MPA 2

MULTIPURPOSE B (OPEN END, 2 SIDE HOLES, 100 cm)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
MPB 2	Multipurpose B-2		534-539T		533-649	534-649T	



MPB 2

MULTIPURPOSE B GENSINI TECHNIQUE (OPEN END, 6 SIDE HOLES, 100 cm)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
MPB 3	Multipurpose B Gensini				533-634		




MPB 3

Diagnostic Catheters

Radials / Brachials Technique

SONES TECHNIQUE

			4F Quick Care Infiniti®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®
	SON 1 SH (80 cm)	Sones 1, 80 cm 2 side holes		534-530T				
	SON 1 SH (110 cm)	Sones 1, 110 cm 4 side holes				SRD5615*		
	SON 1	Sones 1, 100 cm		534-562T	SRD7088*			534-635T
	SON 1	Sones 1, 100 cm 4 side holes		SR4827		SR2359*	533-630	
	SON 1.5	Sones 1.5, 100 cm		534-564T				
	SON 2 (80 cm)	Sones 2, 80 cm 4 side holes				533-531		
	SON 2 SH (80 cm)	Sones 2, 80 cm 2 side holes		534-531T				
	SON 2 SH (125 cm)	Sones 2, 125 cm 4 side holes				SR4158*		
	SON 2	Sones 2, 100 cm				SR2360*	533-631	534-637T
	SON 2	Sones 2, 125 cm 4 side holes					SR2984	
	SON 3	Sones 3, 100 cm 4 side holes					533-632	




* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Diagnostic Catheters

Radials / Brachials Technique


CASTILLO TECHNIQUE (80 cm)

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
CAS 1	Castillo 1, 80 cm 4 side holes			SR4460*			
CAS 1	Castillo 1, 100 cm			533-584	533-684		
CAS 2 (80 cm)	Castillo 2, 80 cm 4 side holes			SR4461*	533-682		
CAS 2	Castillo 2, 100 cm			533-585	533-685		
CAS 3	Castillo 3, 100 cm				533-686		



BARBEAU TECHNIQUE

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
BARBEAU 2 SH	Barbeau, 100 cm, 2 side holes	SRD5505*	534-578T		SRD5897*		



* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Diagnostic Catheters

Radials / Brachials Technique

RADIAL BI-LATERAL TECHNIQUE AND RADIAL/BRACHIAL (TILON)

		4F Quick Care Infiniti®	5F Infiniti®	5F TEMPO® AQUA®**	5F SuperTorque®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®
RBL 3.5	RBL 3.5							SRD7114*
RBL 4.0	RBL 4.0, 100 cm		SRD7063*	SRD7080*				SRD7064*
RBL 4.0 (pack of 5)	RBL 4.0, 100 cm			SRD7045*				
RBL 4.0 2SH	RBL 4.0, 100 cm, 2 side holes	SRD7057*	SRD7044*	SRD7086*		SRD7059*	SRD7055*	SRD7048*
RBL 4.0 (110 cm)	RBL 4.0, 110 cm		SRD7027*					
RBL 4.5	RBL 4.5, 100 cm		SRD7070*	SRD7074*			SRD7071*	SRD7073*
RBL 5.0	RBL 5.0, 100 cm		SRD7065*	SRD7047*				SRD7066*
RBL 5.0 2SH	RBL 5.0, 100 cm, 2 side holes	SRD7058*	SRD7046*			SRD7060*	SRD7056*	SRD7049*
RBL 5.0 (110 cm)	RBL 5.0 (pack of 5)		SRD7026*					
RBL 5.0 (110 cm)	RBL 5.0			SRD7087*				
RBLA	RBL A, 100 cm (pack of 5)			SRD7075*			SRD7072*	
RBL 4C	RBL 4C, 100 cm			SRD7105*				
RBL 4C	RBL 4C, 110 cm					SRD7105*		
RBL modified	RBL modified/LEMAN, 100 cm			SRD7121*		SRD7050*		
RB	Radial Bilateral, 100 cm			SRD7104*				
BL	Radial Brachial (Tilon), 100 cm		SRD5892	SRD7107*		SRD7102*		
RBMP	Radial Bilateral Multipurpose, 100 cm		SRD6724*	SRD7106*			SRD5757*	SRD5895*
Kimny	Kimny					SRD7113*		



RIGHT TRANSRADIAL

		4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
JFR	JFR Right Transradial			SRD6929*			



* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

** TEMPO® AQUA® Hydrophilic-Coated Diagnostic Catheter:

- 1 unit per package.
- Hydrophilic-coated Diagnostic Catheter for navigating the most challenging pathways with lubricity and control.
- Braided Nylon body, Neon TIP (tungsten filled radiopaque tip), Lipiodol resistant hub, Micro-catheter compatibility, Hydrophilically coated distal shaft.

Diagnostic Catheters

Bypass



EL GAMAL TECHNIQUE (100 cm)

			4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
EGB SH	El Gamal, 2 side holes			SR5007*				
EGB 1	El Gamal 1					533-637		
EGB 2	El Gamal 2					533-638		



CORONARY BYPASS TECHNIQUES (100 cm)

		4F Quick Care Infiniti®	4F SuperTorque®	5F Infiniti®	5F Tempo™ Aqua	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
LCB	Left Coronary Bypass	538-472		534-572T		533-572	533-672	534-672T	527-772
RCB	Right Coronary Bypass	538-470		534-570T	SRD7116*	533-570	533-670	534-670T	527-770
IM VB1	Internal Mammary					SRD6700*			
IM	Internal Mammary	538-460		534-560T		533-580	533-660	534-660T	527-760
IM-MOD	Internal Mammary Modified			SRD5263		SR4658	SR4775*		
IM-MOD-2	Internal Mammary Modified 2, 100 cm				SRD6988*	SR4268			
IM-MOD-3	Internal Mammary Modified 3					SR4685			
IM-MOD-4	Internal Mammary Modified 4			SRD5459					
IM-MOD-5	Internal Mammary Modified 5		SRD5816						
IM-MOD-6	Internal Mammary Modified 6				SRD6945				
IM-MOD-7	Internal Mammary Modified 7				SRD7010				
IM-MOD-8	Internal Mammary Modified 8			TL5IMMOD					
IM BARBEAU	Internal Mammary Barbeau			SRD6837					
IM-BC	Internal Mammary modified, Bartorelli-Cozzi	SRD7115*			SRD7103	SRD5392*			
RIMA	Right Internal Mammary Artery					SRD5466*			
3D LIMA 90	3-dimensional Left Internal Mammary Artery			SRD6732			SRD6305*		



** Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Diagnostic Catheters

Ventricular & Cardiac Catheters



VENTRICULAR STRAIGHT PIGTAIL (110 cm)

		4F Quick Care Infiniti®	5F Infiniti®	5F SuperTorque®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
PIG 4SH (80 cm)	Straight Pigtail 4 side holes, 80 cm			SR4342	SR2726*			
PIG 4SH	Straight Pigtail 4 side holes					533-650F		
PIG 4SH (125 cm)	Straight Pigtail 4 side holes, 125 cm				SRD5287**			
PIG 5SH	Straight Pigtail 5 side holes	538-451V						
PIG 6SH (80 cm)	Straight Pigtail 6 side holes (80 cm)	SRD5674						
PIG 6SH	Straight Pigtail 6 side holes	538-450S*	534-550S		533-533	533-650S	534-650S	527-750S
PIG 6SH (125 cm)	Straight Pigtail 6 side holes, 125 cm	SRD5406**	SRD5927	SR2228	SRD6064	SR3279 °	SRD5085**	
PIG 8SH	Straight Pigtail 8 side holes	538-450E*	534-550E			533-650E	534-650E	527-750E
PIG 8SH (125 cm)	Straight Pigtail 8 side holes, 125 cm		SR4902**		SR3453**			
PIG 12SH (50cm)	Straight Pigtail 12 side holes					SRD7092*		527-750
PIG	Straight Pigtail 0 side holes					SRD6722**		
PIG (125 cm)	Straight Pigtail 6 side holes, 125 cm	SRD5183*						

* Micro Loop



PIG

° Another code with similar characteristics also exist: SR2725

Diagnostic Catheters

Ventricular & Cardiac Catheters



VENTRICULAR ANGLED PIGTAIL: VAN TASSEL TECHNIQUE (110 cm)

			4F Quick Care Infiniti®	4F SuperTorque®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
PIG 145° MOD 5SH	Angled Pigtail 145° 5 side holes Modified		538-457V						
PIG 145° 4SH (80cm)	Angled Pigtail 145° 4 side holes 80cm			SRD6920					
PIG 145° 6SH	Angled Pigtail 145° 6 side holes				534-552S	533-534A	533-652S	534-652S	527-752S
PIG 145°	Angled Pigtail 145°					SR2278*			
PIG 145° 6SH (125 cm)	Angled Pigtail 145° 6 side holes, 125 cm		SRD5284**		SR4885**		SR3054**		
PIG 145° MOD 6SH	Angled Pigtail 145° 6 side holes Modified		538-453S*		534-553S				
PIG 155° 6SH	Angled Pigtail 155° 6 side holes				534-554S	533-533A	533-654S	534-654S	
PIG 155° 6SH (125 cm)	Angled Pigtail 155° 6 side holes, 125 cm				SRD5117				
PIG 155° MOD 6SH	Angled Pigtail 155° 6 side holes Modified		538-455S*				533-655S		
PIG 155° 12SH	Angled Pigtail 155° 12 side holes								527-754
PIG 155° 5 SH	Angled Pigtail 155° 5 side holes		538-459V						
PIG 155° ST	Angled Pigtail 155° Short Tip				534-555S*				
PIG 180° 8SH	Angled Pigtail 180° 8 side holes					SRD6792			

* Micro Loop



PIG 145°

PIG 155°

PIG 180°

UNIVERSAL FLUSH

			4F Quick Care Infiniti®	5F Infiniti®	5F SuperTorque®	6F SuperTorque® Plus	6F Infiniti®	7F HIGHFLOW™
Universal Flush 8SH	Universal Flush 8 Side Holes 65cm				SRD6875MB			



** Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.


Diagnostic Catheters

Ventricular & Cardiac Catheters



N.I.H. PAEDIATRIC CURVE

			4F	4F	5F	5.2F	6F	6F	7F
			Quick Care Infiniti®	SuperTorque®	Infiniti®	SuperTorque® Plus	SuperTorque® Plus	Infiniti®	HIGHFLOW™
	N.I.H. (50 cm)	N.I.H. 50 cm		SR4925*					
	N.I.H. (65 cm)	N.I.H. 65 cm				533-525			
	N.I.H. (80 cm)	N.I.H. 80 cm				533-535			
	N.I.H.	N.I.H. 100 cm				533-545			



N.I.H.

N.I.H. ADULT CURVE

			4F	5F	5.2F	6F	6F	7F
			Quick Care Infiniti®	Infiniti®	SuperTorque® Plus	SuperTorque® Plus	Infiniti®	HIGHFLOW™
	N.I.H. (80 cm)	N.I.H. 80 cm				533-635		
	N.I.H.	N.I.H. 100 cm				533-636		527-745



N.I.H.

GENSINI

			4F	4F	5F	5F	6F	6F	7F
			Quick Care Infiniti®	SuperTorque®	Infiniti®	SuperTorque®	SuperTorque® Plus	Infiniti®	HIGHFLOW™
	GENSINI 6SH	Gensini, 80 cm 6 side holes		SR3448		SR4239			



GENSINI

STRAIGHT

			4F	4F	5F	5.2F	6F	6F	7F
			NYLEX	Quick Care Infiniti®	Infiniti®	SuperTorque® Plus	SuperTorque® Plus	Infiniti®	HIGHFLOW™
	STRAIGHT (65 cm)	Straight, 65 cm 8 side holes	SRD7034						
	STRAIGHT (80 cm)	Straight 80cm				SR4098*			

STRAIGHT

Left Coronary Techniques	Right Coronary Techniques	Multipurpose Technique	Radials / Brachials Technique	Bypass	Ventricular & Cardiac Catheters	Diagnostic Multipacks	Diagnostic PRIMOPACS™	Diagnostic CORPACS®	Diagnostic Bi-Packs	Special Catheters / Modified Standards		
--------------------------	---------------------------	------------------------	-------------------------------	--------	---------------------------------	-----------------------	-----------------------	---------------------	---------------------	--	--	--

Diagnostic Catheters

Calibration Catheters



SUPER TORQUE™ MB

Lengths (cm)	Size (F)	<u>2 gold-alloy marker bands</u>		<u>10 gold-alloy marker bands</u>		<u>20 gold-alloy marker bands</u>	
		SH*	Cat. N°	SH*	Cat. N°	SH*	Cat. N°
65	5	-		-		8	532-598C
70	5	6	532-598D**	-		6	
110	5	6		6	532-598A	6	
125	5	-		-		6	532-598B

*Side Holes

** 2 cm spacing per beginning of each marker

Diagnostic Catheters

Diagnostic Multipacks



THE CORDIS PACKS

The ideal combination to:

- reduce waste
- shorten set-up time
- make ordering easier
- facilitate inventory management
- save space



MULTIPACK PRIMOPAC™ CORPAC®

3 Catheters	•	•	•
1 Sheath Introducer		•	•
1 Guidewire			•

Multipacks

- 3 catheters JL, JR, PIG (Straight or Angled 145°)
- Units per Package: 5
- All catalogue numbers with "CP" are tailor-made packs, lead time for delivery: 6-8 weeks

4F Quick Care INFINITI®

		Cat. N°
Judkins Left 4	538-420	538-493
Judkins Right 4	538-421	
Angled Pigtail 145° 5 side holes Modified	538-457V	
Judkins Left 4	538-420	538-494
Judkins Right 4	538-421	
Angled Pigtail 155° 6 side holes Modified	538-455S	
Judkins Left 4	538-420	538-498
Judkins Right 4	538-421	
Straight Pigtail 8 side holes	538-450E	
Judkins Left 4	538-420	538-499
Judkins Right 4	538-421	
Straight Pigtail 5 side holes	538-451V	
Judkins Left 4	538-420	CP0092*
Right Coronary 3 Dimensional	538-476	
Angled Pigtail 145° 6 side holes Modified	538-453S	
Judkins Left 4	538-420	CP0097
Right Coronary 3 Dimensional	538-476	
Straight Pigtail 6 side holes	538-450S	
Judkins Left 4	538-420	CP0125
Amplatz Right Modified	538-448	
Angled Pigtail 145° 5 side holes Modified	538-457V	

Judkins Left 4	538-420	CP0221
Right Coronary 3 Dimensional	538-476	
Straight Pigtail 5 side holes	538-451V	
Judkins Left 3.5	538-418	CP0420
Judkins Right 4	538-421	
Angled Pigtail 145° 5 side holes Modified	538-457V	
Judkins Left 5	538-422	CP0421*
Judkins Right 4	538-421	
Angled Pigtail 145° 8 side holes	538-450E	
4F INF .038	SRD6642	CP0441
Judkins Right 4	538-421	
Angled Pigtail 145° 5SH MOD	538-457V	

* 10 units per package

5F INFINITI®

		Cat. N°
Judkins Left 4	534-520T	CP0066
Amplatz Right 2 Modified	534-543T	
Angled Pigtail 145° 6 side holes	534-552S	
Judkins Left 4	534-520T	CP0088
Judkins Right 4 Modified	534-528T	
Straight Pigtail 8 side holes	534-550E	
Judkins Left 4	534-520T	CP0152
Amplatz Right Modified	534-548T	
Angled Pigtail 145° 6 side holes Modified	534-553S	

Judkins Left 4	534-520T	CP0171
Judkins Right 4	534-521T	
Straight Pigtail 6 side holes	534-550S	
Judkins Left 4	534-520T	CP0203
Judkins Right 4	534-521T	
Angled Pigtail 145° 6 side holes	534-552S	
Judkins Left 4	534-520T	CP0207*
Right Coronary 3 Dimensional	534-576T	
Straight Pigtail 6 side holes	534-550S	
Judkins Left 4	534-520T	CP0208*
Right Coronary 3 Dimensional	534-576T	
Angled Pigtail 145° 6 side holes	534-552S	
Judkins Left 3.5	534-518T	CP0388
Judkins Right 4	534-521T	
Angled Pigtail 145° 6 side holes	534-552S	
Judkins Left 3.5	534-518T	CP0436
Judkins Right 4	534-521T	

* 10 units per package

Diagnostic Catheters

Diagnostic Multipacks



Multipacks

- 3 catheters JL, JR, PIG (Straight or Angled 145°)
- All catalogue numbers with "CP" are tailor-made packs, lead time for delivery: 6-8 weeks
- Units per Package: 5

● 5.2F SUPERTORQUE® Plus		Cat. N°
Judkins Left 4	533-553	533-593
Judkins Right 4	533-552	
Angled Pigtail 145° 6 side holes	533-534A	
Judkins Left 4	533-553	533-598
Judkins Right 4	533-552	
Straight Pigtail 6 side holes	533-533	
Judkins Left 4	533-553	CP0174
Judkins Right 4	533-552	
Angled Pigtail 155° 6 side holes	533-533A	
Judkins Left 4	533-553	CP0157*
Straight Pigtail 6 side holes	533-533	
Right Coronary 3 Dimensional	533-576	
Judkins Left 5	533-559	CP0179
Judkins Right 5	533-558	
Angled Pigtail 145° 6 side holes	533-534A	
Judkins Left 5	533-559	CP0313
Judkins Right 4	533-552	
Angled Pigtail 145° 6 side holes	533-534A	
Judkins Left 4	533-553	CP0401
Judkins Right 4	533-552	
5.2F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	

Judkins Left 3.5	533-551	CP0412
Judkins Right 4	533-552	
Angled Pigtail 145° 6 side holes	533-534A	
5F TEMPO .038	SRD5602	CP0437
Angled Pigtail 155° 6 side holes	533-533A	
Emerald™ .035"	502-563	

* with mini-guidewire

● 6F INFINITI®		Cat. N°
Judkins Left 4	534-620T	CP0008
Judkins Right 4	534-621T	
Straight Pigtail 8 side holes	534-650E	
Judkins Left 4	534-620T	CP0210
Judkins Right 4	534-621T	
Angled Pigtail 145° 6 side holes	534-652S	
Judkins Left 4	534-620T	CP0257
Right Coronary 3 Dimensional	534-676T	
Angled Pigtail 145° 6 side holes	534-652S	

● 6F SUPERTORQUE® Plus		Cat. N°
Judkins Left 4	533-620	533-693
Judkins Right 4	533-621	
Angled Pigtail 145° 6 side holes	533-652S	
Judkins Left 4	533-620	533-698
Judkins Right 4	533-621	
Straight Pigtail 8 side holes	533-650E	
Judkins Left 4	533-620	CP0038
Judkins Right 4	533-621	
Angled Pigtail 155° 6 side holes	533-654S	
Judkins Left 4	533-620	CP0175
Judkins Right 4	533-621	
Straight Pigtail 6 side holes	533-650S	
Judkins Left 4	533-620	CP0404
Judkins Right 4	533-621	
Emerald™ .035"	502-521	
Judkins Left 3.5	533-618	CP0405
Judkins Right 4	533-621	
Angled Pigtail 145° 6 side holes	533-652S	

* with mini-guidewire

Diagnostic Catheters

Diagnostic PRIMOPACS™



PRIMOPACS™

- 3 catheters JL4, JR4, PIG (S or A 145°)
- 1 Sheath Introducer

- All catalogue numbers with "CP" are tailor-made packs, lead time for delivery: 6-8 weeks

- Units per Package: 10

4F Quick Care INFINITI®

Cat. N°

Judkins Left 4	538-420	538-491P
Judkins Right 4	538-421	
Straight Pigtail 8 side holes	538-450E	
4F Avanti+ 11 cm .035"	504-604X*	
Judkins Left 4	538-420	538-493P
Judkins Right 4	538-421	
Angled Pigtail	538-457V	
145° 5 side holes Modified	504-604X*	
4F Avanti+ 11 cm .035"		
Judkins Left 4	538-420	538-494P
Judkins Right 4	538-421	
Angled Pigtail	538-455S	
155° 6 side holes Modified	504-604X*	
4F Avanti+ 11 cm .035"		
Judkins Left 4	538-420	538-499P
Judkins Right 4	538-421	
Straight Pigtail 5 side holes	538-451V	
4F Avanti+ 11 cm .035"	504-604X*	
Judkins Left 4	538-420	CP0242
Right Coronary 3 Dimensional	538-476	
CATH 4F ST PIG 110 cm	532-413T	
4F Avanti+ 11 cm .035"	504-604X*	

* with mini-guidewire

5F INFINITI®

Cat. N°

Judkins Left 4	534-520T	CP0018
Judkins Right 4	534-521T	
Angled Pigtail	534-552S	
145° 6 side holes		
5F Avanti+ 11 cm .038"	504-605X*	
Judkins Left 4	534-520T	CP0027
Straight Pigtail	534-550S	
6 side holes		
Right Coronary	534-576T	
3 Dimensional		
5F Avanti+ 11 cm .038"	504-605X*	
Judkins Left 4	534-520T	CP0243
Angled Pigtail	534-552S	
145° 6 side holes		
Right Coronary 3 Dimensional	534-576T	
AV + 5FR STD W/O	504-605A	
Judkins Left 4	534-520T	CP0250
Amplatz Right 2 Modified	534-543T	
Angled Pigtail	534-552S	
145° 6 side holes		
5F Avanti+ 11 cm W/O	504-605A	

* with mini-guidewire

5.2F SUPERTORQUE® Plus

Cat. N°

Judkins Left 4	533-553	533-591P
Judkins Right 4	533-552	
Straight Pigtail 6 side holes	533-533	
5F Avanti+ 11 cm .038"	504-605X*	
Judkins Left 4	533-553	533-593P
Judkins Right 4	533-552	
Angled Pigtail	533-534A	
145° 6 side holes		
5F Avanti+ 11 cm .038"	504-605X*	
Judkins Right 4	533-552	CP0415**
Judkins Left 5	533-559	
Angled Pigtail	533-534A	
145° 6 side holes		
5F Avanti+ 11 cm .038"	504-605X*	

* with mini-guidewire

** 5 units per package

6F SUPERTORQUE® Plus

Cat. N°

Judkins Left 4	533-620	533-691P
Judkins Right 4	533-621	
Straight Pigtail 8 side holes	533-650E	
6F Avanti+ 11 cm .038"	504-606X*	
Judkins Left 4	533-620	533-693P
Judkins Right 4	533-621	
Angled Pigtail	533-652S	
145° 6 side holes		
6F Avanti+ 11 cm .038"	504-606X*	

* with mini-guidewire

Diagnostic Catheters

Diagnostic CORPACS®



CORPACS®

- 3 Catheters JL4, JR4, PIG (S or A 145°)
1 Sheath Introducer
1 Guidewire: diameter (inch) as indicated

- All catalogue numbers with "CP" are tailor-made packs, lead time for delivery: 6-8 weeks

- Units per Package: 10

● 4F Quick Care INFINITI®

		Cat. N°
Judkins Left 4	538-420	538-492C
Judkins Right 4	538-421	
Straight Pigtail 8 side holes	538-450E	
4F Avanti+ 11 cm .035"	504-604X*	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	538-493C
Judkins Right 4	538-421	
Angled Pigtail 145° 5 side holes Modified	538-457V	
4F Avanti+ 11 cm .035"	504-604X*	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	538-494C
Judkins Right 4	538-421	
Angled Pigtail 155° 6 side holes Modified	538-455S	
4F Avanti+ 11 cm .035"	504-604X*	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	538-499C
Judkins Right 4	538-421	
Straight Pigtail 5 side holes	538-451V	
4F Avanti+ 11 cm .035"	504-604X*	
Emerald™ .035"	502-521	

Judkins Left 4	538-420	CP0156
Judkins Right 4 Modified	538-428	
Straight Pigtail 8 side holes	538-450E	
4F Avanti+ 11 cm .035"	504-604X*	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	CP0248
Angled Pigtail 155° 6 side holes Modified	538-455S	
Right Coronary 3 Dimensional	538-476	
4F Avanti+ 11 cm .035"	504-604X*	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	CP0296
Judkins Right 4	538-421	
4F Avanti+ 11 cm .035"	504-604X	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	CP0391
Judkins Right 4	538-421	
Angled Pigtail 145° 6SH MOD	538-453S	
4F Avanti+ 11 cm .021"	504-614Z	
Emerald™ .035"	502-521	

Judkins Left 3.5	538-418	CP0411
Judkins Right 4	538-421	
Angled Pigtail 145° 6 SH MOD	538-453S	
4F Avanti+ 11 cm .021"	504-614Z*	
Emerald™ .035"	502-521	
Judkins Left 4	538-420	CP0433
Amplatz Right Modified	538-448	
4F Avanti+ 11 cm .035"	504-604X	
Emerald™ .038"	502-521	

* with mini-guidewire

Judkins Left 4	534-520T	CP0164
Angled Pigtail 145° 6 side holes	534-552S	
Judkins Right 4	533-552	
AV + 5FR STD W/O	504-605A	
Emerald™ .035"	502-521	
Judkins Left 4	534-520T	CP0295
Judkins Right 4	534-521T	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	
Judkins Left 3.5	534-518T	CP0395
Judkins Right 4	534-521T	
Angled Pigtail 145° 6 side holes	534-552S	
5F Avanti+ 11 cm .021"	504-615Z*	
Emerald™ .035"	502-521	

* with mini-guidewire

● 5F INFINITI®

		Cat. N°
Judkins Left 4	534-520T	CP0032
Judkins Right 4	534-521T	
Angled Pigtail 145° 6 side holes	534-552S	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .038"	502-520	
Judkins Left 4	534-520T	CP0035
Judkins Right 4	534-521T	
Angled Pigtail 145° 6 side holes	534-552S	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	

Diagnostic Catheters

Diagnostic CORPACS®



● 5.2F SUPERTORQUE® Plus

Cat. N°

Judkins Left 4	533-553	533-591C
Judkins Right 4	533-552	
Straight Pigtail 6 side holes	533-533	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .038"	502-520	
Judkins Left 4	533-553	533-592C
Judkins Right 4	533-552	
Straight Pigtail 6 side holes	533-533	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	
Judkins Left 4	533-553	533-593C
Judkins Right 4	533-552	
Angled Pigtail 145° 6 side holes	533-534A	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .038"	502-520	
Judkins Left 4	533-553	533-594C
Judkins Right 4	533-552	
Angled Pigtail 145° 6 side holes	533-534A	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	

Judkins Left 4

Right Coronary	533-553	CP0165
3 Dimensional Angled Pigtail	533-576	
145° 6 side holes	533-534A	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	

CP0082

Judkins Left 4	533-553	CP0082
Judkins Right 4	533-552	
Angled Pigtail 145° 6 side holes	533-534A	
Needle .035"	502-654	
19G 7.0		
Emerald™ .035"	502-531	

Judkins Right 4

1 mm J-Radius	533-552	CP0230
Judkins Right 4	533-552	
Judkins Left 4	533-553	
AV + 5FR STD W/O	504-605A	
Emerald™ .038"	502-520	

CP0245

Judkins Right 4	533-552	CP0245
Judkins Left 4	533-553	
Straight Pigtail 6 side holes	533-533	
AV + 5FR STD W/O	504-605A	
Emerald™ .035"	502-521	

Judkins Left 4

Judkins Right 4	533-552	CP0294
Angled pigtail 145° 6SH 5F	533-552	
5F Avanti+ 11 cm .038"	504-605X*	
Emerald™ .035"	502-521	

* with mini-guidewire

● 6F INFINITI®

Cat. N°

Judkins Left 4	534-620T	CP0031
Judkins Right 4	534-621T	
Straight Pigtail 8 side holes	534-650E	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .035"	502-521	
Angled Pigtail 145° 6 side holes	534-652S	CP0213
Judkins Left 4	534-620T	
Judkins Right 4	534-621T	
7F Avanti + 11 cm .038"	504-607X	
Emerald™ .035"	502-521	
Angled Pigtail 145° 6 side holes	534-652S	CP0247
Judkins Left 4	534-620T	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .035"	502-521	
Judkins Left 4	534-620T	CP0406
Judkins Right 4	534-621T	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .035"	502-521	

* with mini-guidewire

● 6F SUPERTORQUE® Plus

Cat. N°

Judkins Left 4	533-620	533-691C
Judkins Right 4	533-621	
Straight Pigtail 8 side holes	533-650E	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .038"	502-520	
Judkins Left 4	533-620	533-692C
Judkins Right 4	533-621	
Straight Pigtail 8 side holes	533-650E	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .035"	502-521	
Judkins Left 4	533-620	533-693C
Judkins Right 4	533-621	
Angled Pigtail 145° 6 side holes	533-652S	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .038"	502-520	
Judkins Left 4	533-620	533-694C
Judkins Right 4	533-621	
Angled Pigtail 145° 6 side holes	533-652S	
6F Avanti+ 11 cm .038"	504-606X*	
Emerald™ .035"	502-521	

Diagnostic Catheters

Diagnostic CORPACS®



Judkins Left 4	533-620	CP0048	Judkins Left 4.5	533-627	CP0386
Judkins Right 4	533-621		Right Coronary 3	533-676	
Angled Pigtail	533-652S		Dimensional		
145° 6 side holes			Angled Pigtail	533-654S	
6F Avanti+ 11 cm	504-606X*			155° 6 side holes	
Emerald™ .038"			Judkins Left 4	533-620	CP0389
7 cm J-curve	502-563		Judkins Right 4	533-621	
Judkins Left 4	533-620	CP0094	Angled Pigtail	533-652S	
Straight Pigtail 8	533-650E		145° 6 side holes		
side holes			6F Avanti+ 11 cm	504-616Z*	
Right Coronary 3	533-676		Emerald™ .035"	502-521	
Dimensional			Judkins Left 3.5	533-618	CP0397
6F Avanti+ 11 cm	504-606X*	Judkins Right 4	533-621		
.038"		Straight Pigtail	533-650S		
Emerald™ .035"	502-521		6 side holes		
Judkins Left 4	533-620	CP0283	Judkins Left 3.5	533-618	CP0428
Judkins Right 4	533-621		Judkins Right 4	533-621	
6F Avanti+ 11 cm	504-606X*		Angled Pigtail	533-652S	
.038"			145° 6 side holes		
Emerald™ .035"	502-521		6F Avanti+ 11 cm	504-616Z*	
Judkins Left 5	533-622	CP0306	Emerald™ .035"	502-585	
Judkins Right 5	533-623				
Angled Pigtail	533-652S				
145° 6 side holes					
6F Avanti+ 11 cm	504-606X*				
.038"					
Emerald™ .038"	502-520				

* with mini-guidewire

Diagnostic Catheters

Diagnostic 2-Packs



2-PACKS

- 2 catheters JL, JR/3DRC
- All catalogue numbers with "CP" are tailor-made packs, lead time for delivery: 6-8 weeks

2-PACKS JL AND JR4/3DRC

	4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®
JL4/JR4 2-Packs order number , Units per Package: 5 included regular codes	CP0276 538-420 and 538-421	CP0278 534-520T and 534-521T	CP0280 533-553 and 533-552	CP0285 533-620 and 533-621	CP0281 534-620T and 534-621T
JL4/3DRC 2-Packs order number , Units per Package: 3 included regular codes		CP0279 534-520T and 534-576T			CP0282 534-620T and 534-676T
JL3.5/JR4 2-Packs order number , Units per Package: 5 included regular codes			CP0417 533-551 and 533-552		
JL4/JR4 + CSI +wire CORPAC® order number , Units per Package: 10 included regular codes		CP0317 534-520T; 534-521T; 502-521; 504-606X and 502-652			



J-PACK

	4F Quick Care Infiniti®	5F Infiniti®	5.2F SuperTorque® Plus	6F SuperTorque® Plus	6F Infiniti®
JL-4 , Units per Package: 25				SR4129*	
JR-4 , Units per Package: 25				SR4130*	



* Please note that the modified standard catheters will be produced on special request and are subject to longer delivery times and list prices.

Biopsy Forceps

Disposable Biopsy Forceps	133
Long Sheaths	134



Biopsy Forceps

BIOPSY FORCEPS

Standard BIOPSY FORCEPS

- Choice of two sizes of forceps diameter for taking samples adapted to a wide range of clinical situations
 - 2.46 mm³ of tissue sample using the 5.5F forceps
 - 5.20 mm³ of tissue sample using the 7F forceps
- Jugular or femoral access possible with two lengths of forceps

BIPALS

- Disposable and TORQUABLE (PTFE formable/torquable shaft)
 - 5.03mm³ of tissue sample using the 7F forceps
- Jugular or femoral access possible with two lengths of forceps
- Quicker and easier tissue sampling
- Larger size tissue samples to improve pathological examination

Biopsy Forceps

Disposable Biopsy Forceps

STANDARD BIOPSY FORCEPS

- Units per Package: 1



	SHAFT OD (FRENCH) (F)	SHAFT OD (MM) (mm)	LENGTH (cm)	DESCRIPTION	CATALOGUE NUMBER
	5.5	1.85	104	For femoral approach	504-300
	5.5	1.85	50	For internal jugular approach	504-302
	7	2.3	104	For femoral approach	504-300L
	7	2.3	50	For internal jugular approach	504-302L

BIPAL™ BIOPSY FORCEPS

- Formable/torquable tip
- PTFE-covered shaft

	SHAFT OD (FRENCH) (F)	SHAFT OD (MM) (mm)	LENGTH (cm)	DESCRIPTION	CATALOGUE NUMBER
	7	2.3	104	Straight tip for femoral approach	502-400B
	7	2.3	50	Radial tip shape for internal jugular approach	502-402B
	7	2.3	50	Multipurpose tip shape for internal jugular approach	502-402M

Biopsy Forceps

Long Sheaths

CATHETER SHEATH INTRODUCERS AND SHEATH SETS



	FOR USE WITH CATHETER FRENCH (F)	SHEATH LENGTH (cm)	DESCRIPTION	CATALOGUE NUMBER
	7	45	Sheath only, Straight tip	501-611
	7	98	Sheath only, Straight tip	501-613
	7	45	Sheath only, Multipurpose curve	501-611A
	7	98	Sheath only, Multipurpose curve	501-613A
	7	45	Sheath only, Multipurpose curve, 50 cm 7F Multipurpose A-2 catheter, 8F vessel dilator	501-616A
	7	98	Sheath only, Straight tip, 110 cm 7F Pigtail HF catheter, 8F vessel dilator	501-617

Accessories

High-Pressure Injector Lines	137
Extensions / Connectors / Inflation Systems	139
Control Syringes	140
Angiographic Needles	141

Accessories

Accessories

High-Pressure Injector Lines

HP INJECTOR LINES 1200 PSI - NON-BRAIDED

- Non-braided
- Ideal for all power injector applications, offered in a variety of lengths
- Available with or without High-Pressure Rotating Adaptor
- Contents per case: 25

	LENGTH (cm)	DESCRIPTION	CATALOGUE NUMBER
	25	with rotator	12-000813
	50	with rotator	12-001771
	75	with luer-lock, male	12-000237
	75	with rotator	12-001733
	120	with luer-lock, male	12-000608
	120	with rotator	12-001734

HP INJECTOR LINES 1200 PSI - BRAIDED

- Braided
- Combines the high pressure capacity with superior flexibility
- Available with or without High-Pressure Rotating Adaptor
- Contents per case: 25

	LENGTH (cm)	DESCRIPTION	CATALOGUE NUMBER
	25	with luer-lock, male	12-001743
	50	with rotator	12-001738
	75	with luer-lock, male	12-001741
	75	with rotator	12-001737
	120	with luer-lock, male	12-001740
	120	with rotator	12-001736

Manifolds 1050 PSI

- Continuous large internal diameter (2.3 mm diameter) ideal for special procedures requiring small catheters.

	DESCRIPTION	CATALOGUE NUMBER
	2-port, with rotator, right-handed	12-001759
	3-port, with rotator, right-handed	12-001765
	3-port, with rotator, right-handed	12-001767

Accessories

High-Pressure Injector Lines

Manifolds 550 PSI

	DESCRIPTION	CATALOGUE NUMBER
	2-port, with rotator, right-handed	12-001727

Pressure Monitoring Lines

- Clear and high durometer for accurate measurements and optimum dynamic response

	LENGTH (cm)	DESCRIPTION	CATALOGUE NUMBER
	15	male/female	12-000235
	30	male/female	12-000836
	90	male/female	12-001776
	120	male /female	12-000236
	150	male/female	12-000210

Accessories

Extensions / Connectors / Inflation Systems

CATHETER EXTENSIONS

- Flexible, translucent polyurethane
- Braided
- Designed for 1000 psi
- Luer lock hubs
- Male-female
- 5 units per package



	LENGTH (cm)	INNER DIAMETER (mm)	CATALOGUE NUMBER
	45	1.8	502-100D
	65	1.8	502-101D
	100	1.8	502-102D

VALVES & HAEMOSTATIC Y-CONNECTORS

- Available for different wire diameters
- Smooth turning Tuohy-Borst valve
- With rotating adaptor
- Available as a PTCA valve accessory kit with either a tool or a puncture device and a torque device

CASE CONTENT	DESCRIPTION	CATALOGUE NUMBER
25	Large Bore haemostatic Y-connector for catheter up to 9F (Torque device - Guidewire Insertion Tool - Haemostatic Y-connector for Catheters up to 9F)	12-001915
25	Haemostatic Y-connector for catheters up to 9F	12-001855
25	Torque device	12-001624
25	Twin interchange Y-connector for catheters up to 9F	12-001856

INFLATION SYSTEMS

CASE CONTENT	DESCRIPTION	CATALOGUE NUMBER
6	Disposable Inflation Device 30ml pressure control syringe with manometer measuring pressures between 0 and 30 atm (incl 3-way stopcock)	12-003704

Accessories

Control Syringes

CONTROL SYRINGES

- Smooth operation
- Clear, glass-like plastic syringe for clarity
- Contents per case: 25



	VOLUME (ml)	DESCRIPTION	STOPPER (ml)	CATALOGUE NUMBER
	10	with luer-lock, male	0.5	12-000249
	10	with rotator, male	0.5	12-000304

Accessories

Angiographic Needles

ONE-PIECE NEEDLES

- Thin wall cannula
- Luer hub
- 10 units per package



CANNULA OD	DESCRIPTION	MAXIMUM GUIDEWIRE (")	LENGTH (cm)	CATALOGUE NUMBER
18G	Thin wall	0.038	7	12-004943
19G	Thin wall	0.032	3.8	12-004925
21G	Thin wall	0.021	3.8	12-004924

ONE-PIECE NEEDLES

- Thin wall cannula
- Luer hub
- 25 units per package



CANNULA OD	DESCRIPTION	MAXIMUM GUIDEWIRE (")	LENGTH (cm)	CATALOGUE NUMBER
18G	Thin wall with snap-on wings	0.038	7.0	502-652
19G	Thin wall with snap-on wings	0.032	7.0	502-654*
20G	Thin wall with snap-on wings	0.021	5.0	502-655*
20G	Thin wall with snap-on wings	0.025	5.0	502-659*

TWO-PIECE NEEDLES

- Thin wall cannula
- Luer hub

- Solid stylet
- 25 units per package



CANNULA OD	DESCRIPTION	MAXIMUM GUIDEWIRE (")	LENGTH (cm)	CATALOGUE NUMBER
18G	Thin wall with snap-on wings	0.038	7.0	502-657
19G	Thin wall with snap-on wings	0.035	7.0	502-658

Accessories

Manifolds

250 PSI MANIFOLDS

		DESCRIPTION	CATALOGUE NUMBER
	ON	2-port, with rotator, right-handed	12-004948
	OFF	2-port, with rotator, right-handed	12-004951
	OFF	3-port, with rotator, right-handed	12-004952

For healthcare professional only. Please contact your Cordis representative for product availability.

Important Information

Prior to use, refer to the "Instructions for Use" supplied with these devices for indications, contraindications, side effects, suggested procedure, warnings, and precautions. As part of the Cordis policy of continuous product development, we reserve the right to change product specifications without prior notification.

CORDIS, Cordis LOGO, and ADROIT - ANGIOGUARD RX - AQUATRACK - Atraumatic Long BRITE TIP - ATW - ATW Marker Wire - AVANTI+ - BioFreedom - BioMatrix Alpha - BioMatrix NeoFlex BiPal - BRITE TIP - Cinch - CORDIS - CORPAC - Chroma - DURALYN Flex - EXOSEAL - EMERALD - EMPIRA - EMPIRA NC - HIGHFLOW - INFINITI - LUMENO FREE - LUMENO ALPHA - LUMENO CHROME - MULTIPACK - PRIMOPAC - QUICK CARE INFINITI - Transradial Access Kit - REFLEX - SHINOBI - SHINOBI Plus - SLX - STABILIZER - STABILIZER Plus - SUPERTORQUE Plus - TEMPO AQUA - Long BRITE TIP - WIZDOM are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.